



Sydney
Local Health District



THE UNIVERSITY OF
SYDNEY

Small Area Health Indicators - Data Tables

Public Health Research Analytics and
Methods for Evidence

March 2024



Acknowledgment of Country

Sydney Local Health District acknowledges that we are living and working on Aboriginal Land. We recognise the strength, resilience and capacity of Aboriginal people on this land. We would like to acknowledge all of the traditional owners of the land and pay respect to Aboriginal Elders past and present.

Our District acknowledges Gadigal, Wangal and Bediagal as the three clans within the boundaries of the Sydney Local Health District. There are about 29 clan groups within the Sydney metropolitan area, referred to collectively as the great Eora Nation. Always was and always will be Aboriginal Land.

We advise this resource may contain images or names of deceased persons, including photographs or historical content.

Small Area Health Indicators - Data Tables

Published by: Public Health Research Analytics and Methods for Evidence (PHRAME), Public Health Unit (PHU), Sydney Local Health District (SLHD)

First published: March 2024

Authors

Joe Van Buskirk, Biostatistician and Epidemiologist, PHRAME, Public Health Unit, SLHD and School of Public Health, The University of Sydney

Chinonye Maduka, Epidemiologist*

William Burns, Public Health Officer, Public Health Unit, SLHD

David Kennedy, Manager, Epidemiology Unit, Public Health Unit, SLHD

George Johnson, General Manager, Public Health Unit, SLHD

Leena Gupta, Clinical Director, Public Health Unit, SLHD

Luke Knibbs, Director, PHRAME, Public Health Unit, SLHD and School of Public Health, The University of Sydney

* Formerly Public Health Unit, SLHD

Copyright and disclaimer

© State of New South Wales through Sydney Local Health District Public Health Unit, 2024.

Information contained in this publication is based on knowledge and understanding at the time of writing, March 2024, and is subject to change. All data provided from external sources remain the copyright of their respective data custodians or organisations.

All URL hyperlinks active at time of writing (March 2024).

About us

Public Health Research Analytics and Methods for Evidence (PHRAME) is a collaboration between Sydney Local Health District and the University of Sydney. In 2022, the District and the University established PHRAME to embed research-informed epidemiological and data science methods to:

- support production of actionable evidence for decision-makers
- add value to a wide range of health and population data through novel uses
- create opportunities for capacity-building and training
- enable scalable research and collaboration by identifying applications within and outside the district

PHRAME's vision is to be an exemplar of excellence as a partnership with the University, supporting the district's strategic vision of excellence in health and healthcare for all. This will be achieved by:

- producing actionable evidence to inform decision-making across the district
- applying research-honed methods and analytics to address real-world questions

For additional information, please refer to the [PHRAME strategic plan](#).

Acknowledgments

The authors appreciated the input of these individuals and groups, and their contributions are gratefully acknowledged: PHRAME Advisory Group; PHRAME Management Group; the numerous SLHD colleagues who lent their content knowledge to give feedback on specific indicators; the SLHD Public Health Unit especially, but not limited to, the Epidemiology team; those who generously put their expertise and time into reviewing draft versions of this report; colleagues at the School of Public Health, The University of Sydney; various data custodians; Australian Bureau of Statistics; Australian Institute of Health and Welfare; Public Health Information Development Unit (Torrens University); and all of the individuals who comprise the various data sets used in this report.

Data sourced from the Public Health Information Development Unit (PHIDU), where labelled, has been released under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Australia licence (CC BY-NC-SA 3.0 AU). While data has been reformatted for the purposes of the current report, PHIDU remains the copyright holder of these data and all interpretation is PHRAME's own.

Data on diabetes services registrants was accessed via the National Diabetes Services Scheme (NDSS). The NDSS is an initiative of the Australian Government administered by Diabetes Australia. While data has been reformatted for the purposes of the current report, NDSS remains the copyright holder of these data and all interpretation is PHRAME's own.

Data from the Cause of Death Unit Record File (COD URF) is provided by the Australian Coordinating Registry for COD URF on behalf of Australian Registries of Births, Deaths and Marriages, Australian Coroners and the National Coronial Information System.

Record linkage in the Admitted Patient, Emergency Department Attendance and Deaths Register was carried out by the [Centre for Health Record Linkage](#).

Special thank you to Catherine Glover for the cover photograph.

Contacts

Joe Van Buskirk, PHRAME

E: joseph.vanbuskirk1@health.nsw.gov.au

A/Prof Luke Knibbs, PHRAME

E: luke.knibbs@health.nsw.gov.au

Public Health Unit

Sydney Local Health District PO Box 374

Camperdown 1450

T: 02 9515 9420

W: slhd.health.nsw.gov.au/public-health

1

Data Tables

1.1 Determinants of Health

1.1.1 Socioeconomic factors

1.1.1.1 Proportion of people with low income

Table 1 Proportion of people with low income by Statistical Area 2, 2016 and 2021. Source: [ABS \(2022\) 2021 Census of Population and Housing](#).

| SA2 Name | 2016 | 2021 |
|-----------------------------------|-------|-------|
| Annandale (NSW) | - | 13.8% |
| Ashfield | 22.1% | - |
| Ashfield - North | - | 18.3% |
| Ashfield - South | - | 19.9% |
| Balmain | 14.6% | 14.0% |
| Belmore - Belfield | 28.9% | 26.2% |
| Burwood (NSW) | - | 24.4% |
| Burwood - Croydon | 25.8% | - |
| Camperdown - Darlington | - | 12.2% |
| Campsie - North | - | 24.5% |
| Campsie - South | - | 27.3% |
| Canterbury (North) - Ashbury | 19.9% | 16.8% |
| Canterbury (South) - Campsie | 27.8% | - |
| Canterbury - South | - | 20.6% |
| Chippendale | - | 27.6% |
| Concord - Mortlake - Cabarita | 16.7% | 15.9% |
| Concord West - North Strathfield | 20.3% | 15.0% |
| Croydon | - | 18.2% |
| Croydon Park - Enfield | 23.8% | 22.4% |
| Drummoyne - Rodd Point | 16.1% | 14.3% |
| Dulwich Hill - Lewisham | 18.7% | 15.4% |
| Earlwood | - | 19.5% |
| Erskineville - Alexandria | 10.6% | 8.9% |
| Five Dock - Abbotsford | 19.9% | 18.1% |
| Glebe - Forest Lodge | 24.8% | 21.9% |
| Haberfield - Summer Hill | 17.7% | 14.6% |
| Homebush | 18.8% | 14.1% |
| Kingsgrove (North) - Earlwood | 22.0% | - |
| Kingsgrove - North | - | 23.0% |
| Lakemba | 34.2% | 28.2% |
| Leichhardt | - | 13.8% |
| Leichhardt - Annandale | 15.9% | - |
| Lilyfield - Rozelle | 14.7% | 13.6% |
| Marrickville | 20.3% | - |
| Marrickville - North | - | 15.1% |
| Marrickville - South | - | 18.1% |
| Newtown (NSW) | - | 14.6% |
| Newtown - Camperdown - Darlington | 23.5% | - |
| Petersham - Stanmore | 16.0% | 15.2% |
| Punchbowl | 32.3% | 28.1% |
| Pymont | - | 12.4% |
| Pymont - Ultimo | 21.6% | - |
| Redfern | - | 24.1% |
| Redfern - Chippendale | 31.2% | - |
| Rhodes | - | 14.1% |
| Riverwood | 39.8% | 35.7% |
| Rosebery - Beaconsfield | - | 13.1% |
| Roselands | 25.9% | 23.7% |
| Strathfield | 19.7% | - |
| Strathfield - East | - | 16.9% |
| Strathfield - West | - | 15.0% |
| Strathfield South | 20.5% | 17.3% |
| Sydenham - Tempe - St Peters | 16.1% | 12.8% |
| Ultimo | - | 21.7% |
| Waterloo | - | 26.0% |
| Waterloo - Beaconsfield | 27.1% | - |
| Wiley Park | 31.9% | 29.8% |
| Zetland | - | 15.5% |

1.1.1.2 Educational attainment for selected school years & adults

Table 2 Educational attainment for selected school years & adults by Statistical Area 2, 2016 and 2021. Note different years used different boundaries, with some areas dividing or aggregating between census years. Source: [ABS \(2022\)](#)
Level of highest educational attainment (HEAP)

| SA2 Name | 2016 | 2021 |
|-----------------------------------|-------|-------|
| Annandale (NSW) | - | 87.5% |
| Ashfield | 75.8% | - |
| Ashfield - North | - | 82.6% |
| Ashfield - South | - | 79.8% |
| Balmain | 83.5% | 86.8% |
| Belmore - Belfield | 57.9% | 64.0% |
| Burwood (NSW) | - | 73.9% |
| Burwood - Croydon | 71.6% | - |
| Camperdown - Darlington | - | 87.3% |
| Campsie - North | - | 56.8% |
| Campsie - South | - | 58.5% |
| Canterbury (North) - Ashbury | 73.1% | 79.4% |
| Canterbury (South) - Campsie | 58.4% | - |
| Canterbury - South | - | 70.1% |
| Chippendale | - | 87.6% |
| Concord - Mortlake - Cabarita | 74.3% | 79.9% |
| Concord West - North Strathfield | 79.4% | 80.9% |
| Croydon | - | 77.4% |
| Croydon Park - Enfield | 69.8% | 74.3% |
| Drummoyne - Rodd Point | 79.6% | 83.3% |
| Dulwich Hill - Lewisham | 77.6% | 83.2% |
| Earlwood | - | 73.5% |
| Erskineville - Alexandria | 82.3% | 87.1% |
| Five Dock - Abbotsford | 75.7% | 80.6% |
| Glebe - Forest Lodge | 80.7% | 84.8% |
| Haberfield - Summer Hill | 78.6% | 84.6% |
| Homebush | 73.4% | 81.6% |
| Kingsgrove (North) - Earlwood | 67.4% | - |
| Kingsgrove - North | - | 67.7% |
| Lakemba | 57.9% | 65.5% |
| Leichhardt | - | 84.7% |
| Leichhardt - Annandale | 81.6% | - |
| Lilyfield - Rozelle | 79.8% | 84.5% |
| Marrickville | 72.1% | - |
| Marrickville - North | - | 80.1% |
| Marrickville - South | - | 78.4% |
| Newtown (NSW) | - | 85.2% |
| Newtown - Camperdown - Darlington | 82.5% | - |
| Petersham - Stanmore | 80.2% | 84.4% |
| Punchbowl | 49.0% | 55.8% |
| Pymont | - | 83.3% |
| Pymont - Ultimo | 78.7% | - |
| Redfern | - | 81.9% |
| Redfern - Chippendale | 78.5% | - |
| Rhodes | - | 87.7% |
| Riverwood | 57.0% | 61.8% |
| Rosebery - Beaconsfield | - | 84.5% |
| Roselands | 59.1% | 66.3% |
| Strathfield | 74.9% | - |
| Strathfield - East | - | 80.6% |
| Strathfield - West | - | 80.6% |
| Strathfield South | 71.0% | 75.8% |
| Sydenham - Tempe - St Peters | 72.5% | 79.8% |
| Ultimo | - | 84.3% |
| Waterloo | - | 81.8% |
| Waterloo - Beaconsfield | 76.9% | - |
| Wiley Park | 59.9% | 64.2% |
| Zetland | - | 86.3% |

1.1.2 Health Behaviours

1.1.2.1 Rates of current daily smokers

Table 3 Modelled proportion of current smokers by Public Health Area, 2018 and 2021. Source: PHIDU (2021) Estimated male, female and total population, aged 18 years and over, who were current smokers, 2017-18.

| Public Health Area | Current smoking | | | |
|---|--------------------|--------------------|--------------------|--------------------|
| | 2018 | | 2021 | |
| | Males | Females | Males | Females |
| Ashfield | 10.1 [5.9 - 14.3] | 6.8 [3.9 - 9.7] | 15.8 [10.4 - 21.1] | 10.1 [6.5 - 13.8] |
| Balmain/ Lilyfield - Rozelle | 11.1 [6.8 - 15.5] | 7.5 [4.5 - 10.6] | 10.3 [7.3 - 13.2] | 6.2 [4.3 - 8.1] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 16.2 [10.5 - 21.9] | 11.4 [7.1 - 15.6] | 19.8 [15.1 - 24.4] | 14.0 [10.5 - 17.5] |
| Burwood - Croydon | 9.2 [5.3 - 13.2] | 5.9 [3.3 - 8.6] | 15.4 [10.0 - 20.9] | 10.1 [6.3 - 13.9] |
| Canada Bay - East | 12.3 [7.5 - 17.1] | 8.2 [4.8 - 11.6] | 12.2 [8.9 - 15.5] | 8.3 [5.9 - 10.6] |
| Canada Bay - West | 11.7 [7.4 - 16.0] | 7.6 [4.6 - 10.5] | 12.0 [8.7 - 15.2] | 7.9 [5.6 - 10.1] |
| Canterbury (North) - Ashbury area | 13.8 [8.7 - 18.9] | 9.1 [5.6 - 12.6] | 12.8 [9.3 - 16.2] | 8.7 [6.2 - 11.2] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 13.4 [8.3 - 18.6] | 9.2 [5.5 - 12.9] | 16.3 [12.2 - 20.5] | 10.5 [7.6 - 13.4] |
| Homebush | 12.1 [7.5 - 16.8] | 8.2 [4.9 - 11.5] | 17.4 [11.3 - 23.5] | 11.6 [7.3 - 15.9] |
| Lakemba/ Punchbowl/ Wiley Park | 20.6 [13.7 - 27.5] | 15.5 [10.1 - 20.9] | 17.6 [13.8 - 21.5] | 12.7 [9.7 - 15.7] |
| Leichhardt - Annandale | 12.6 [7.7 - 17.6] | 8.6 [5.0 - 12.1] | 12.0 [7.8 - 16.3] | 7.2 [4.5 - 9.9] |
| Marrickville | 14.8 [9.2 - 20.5] | 10.3 [6.1 - 14.4] | 18.6 [12.6 - 24.7] | 12.1 [7.8 - 16.3] |
| Petersham - Stanmore | 14.9 [9.2 - 20.6] | 9.8 [5.7 - 13.8] | 16.9 [11.1 - 22.6] | 10.2 [6.4 - 14.0] |
| Riverwood | 19.6 [12.7 - 26.4] | 14.1 [8.9 - 19.2] | 22.6 [15.4 - 29.9] | 17.5 [11.6 - 23.4] |
| Roselands | 18.6 [12.3 - 25.0] | 12.3 [7.8 - 16.9] | 18.5 [12.1 - 24.8] | 13.5 [8.6 - 18.4] |
| Strathfield/ Strathfield South | 10.8 [6.6 - 14.9] | 7.3 [4.4 - 10.3] | 17.2 [12.2 - 22.3] | 11.6 [7.9 - 15.2] |
| Sydenham - Tempe - St Peters | 20.8 [14.1 - 27.5] | 13.8 [8.9 - 18.7] | 16.2 [10.5 - 21.9] | 9.7 [6.0 - 13.4] |
| Sydney Inner City - South West | 14.9 [9.7 - 20.0] | 10.0 [6.3 - 13.7] | 15.2 [11.3 - 19.1] | 9.4 [6.8 - 12.1] |

1.1.2.2 Children exposed to tobacco smoke in the home

Table 4 Proportion of children exposed to tobacco in the home by exposure category, NSW, 2001-2019. Source: AIHW (2022) National Drug Strategy Household Survey.

| Year | Someone only smokes outside the home | Someone smokes inside the home |
|------|--------------------------------------|--------------------------------|
| 2001 | 24.0 [21.8 - 26.1] | 18.5 [16.3 - 20.7] |
| 2004 | 28.4 [26.4 - 30.5] | 12.5 [11.0 - 14.1] |
| 2007 | 27.9 [25.7 - 30.2] | 8.8 [7.2 - 10.5] |
| 2010 | 27.0 [24.9 - 29.1] | 6.3 [5.2 - 7.3] |
| 2013 | 25.6 [23.3 - 27.8] | 4.1 [2.9 - 5.2] |
| 2016 | 23.3 [21.1 - 25.5] | 2.6 [1.8 - 3.4] |
| 2019 | 23.0 [20.8 - 25.3] | 1.8 [1.2 - 2.4] |

1.1.2.3 Levels of risky alcohol consumption

Table 5 Modelled levels of risky alcohol consumption by Public Health Area, 2018 and 2021. Source: PHIDU (2021)
 Estimated male, female or total population, aged 18 years and over, consuming alcohol at levels considered to be a high risk to health over their lifetime, 2017-18.

| Public Health Area | ≥ 2 standard drinks per day | |
|---|-----------------------------|--------------------|
| | 2018 | 2021 |
| | Persons | Persons |
| Ashfield | 9.8 [4.9 - 14.7] | 10.1 [6.3 - 14.0] |
| Balmain/ Lilyfield - Rozelle | 23.0 [14.4 - 31.6] | 20.8 [16.0 - 25.7] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 7.2 [3.4 - 11.1] | 7.2 [5.0 - 9.3] |
| Burwood - Croydon | 8.7 [4.2 - 13.2] | 10.0 [6.1 - 14.0] |
| Canada Bay - East | 18.0 [10.5 - 25.6] | 16.9 [12.8 - 21.0] |
| Canada Bay - West | 13.2 [7.2 - 19.3] | 11.9 [8.7 - 15.1] |
| Canterbury (North) - Ashbury area | 12.6 [6.7 - 18.5] | 12.2 [8.9 - 15.4] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 12.9 [7.2 - 18.7] | 15.8 [11.9 - 19.8] |
| Homebush | 8.6 [4.1 - 13.2] | 4.5 [2.2 - 6.8] |
| Lakemba/ Punchbowl/ Wiley Park | 6.3 [2.9 - 9.6] | 5.3 [3.6 - 6.9] |
| Leichhardt - Annandale | 17.8 [10.1 - 25.4] | 15.7 [10.2 - 21.1] |
| Marrickville | 11.6 [6.1 - 17.1] | 13.0 [8.3 - 17.6] |
| Petersham - Stanmore | 18.0 [10.0 - 26.0] | 16.8 [10.9 - 22.6] |
| Riverwood | 9.5 [4.7 - 14.2] | 9.1 [5.5 - 12.7] |
| Roselands | 11.3 [5.6 - 17.0] | 9.1 [5.5 - 12.6] |
| Strathfield/ Strathfield South | 8.3 [4.1 - 12.6] | 5.8 [3.5 - 8.0] |
| Sydenham - Tempe - St Peters | 16.7 [9.3 - 24.1] | 15.3 [9.8 - 20.9] |
| Sydney Inner City - South West | 23.3 [14.1 - 32.4] | 18.2 [13.7 - 22.7] |

1.1.2.4 Inadequate fruit & vegetable intake

Table 6 Modelled adequate fruit & vegetable intake, by Public Health Area, 2018 and 2021. Source: PHIDU (2017) Estimated population, aged 18 years and over, with adequate fruit intake, 2017-18.

| Public Health Area | Inadequate fruit intake | |
|---|-------------------------|--------------------|
| | 2018 | 2021 |
| | Persons | Persons |
| Ashfield | 49.8 [41.7 - 57.9] | 50.4 [41.1 - 59.7] |
| Balmain/ Lilyfield - Rozelle | 53.7 [46.0 - 61.3] | 51.3 [44.5 - 58.2] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 50.4 [42.5 - 58.3] | 53.3 [46.5 - 60.1] |
| Burwood - Croydon | 51.9 [43.6 - 60.1] | 51.0 [41.3 - 60.7] |
| Canada Bay - East | 51.6 [43.9 - 59.3] | 54.9 [48.4 - 61.3] |
| Canada Bay - West | 51.4 [43.4 - 59.5] | 54.4 [47.8 - 61.0] |
| Canterbury (North) - Ashbury area | 50.5 [42.6 - 58.5] | 53.3 [46.6 - 60.0] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 51.9 [44.2 - 59.7] | 51.7 [45.1 - 58.3] |
| Homebush | 50.4 [42.1 - 58.7] | 50.9 [40.8 - 61.0] |
| Lakemba/ Punchbowl/ Wiley Park | 47.2 [39.3 - 55.2] | 60.4 [54.4 - 66.5] |
| Leichhardt - Annandale | 51.5 [43.4 - 59.6] | 49.6 [40.3 - 58.8] |
| Marrickville | 51.2 [43.1 - 59.2] | 51.6 [42.5 - 60.6] |
| Petersham - Stanmore | 49.9 [41.6 - 58.1] | 46.6 [37.0 - 56.2] |
| Riverwood | 47.4 [39.5 - 55.2] | 51.7 [42.4 - 61.1] |
| Roselands | 50.5 [42.5 - 58.5] | 55.3 [45.6 - 64.9] |
| Strathfield/ Strathfield South | 51.8 [43.8 - 59.8] | 62.5 [54.3 - 70.8] |
| Sydenham - Tempe - St Peters | 51.3 [43.0 - 59.5] | 45.0 [35.5 - 54.5] |
| Sydney Inner City - South West | 50.5 [42.3 - 58.7] | 44.2 [37.0 - 51.3] |

1.1.2.5 Insufficient physical activity

Table 7 Modelled insufficient physical activity by Public Health Area, 2018 and 2021. Source: PHIDU (2021) Estimated population, aged 18 years and over, who did low, very low or no exercise in the week prior to being interviewed, 2017-18.

| Public Health Area | Low/Very low exercise in previous week | |
|---|--|--------------------|
| | 2018 | 2021 |
| | Persons | Persons |
| Ashfield | 67.9 [58.8 - 76.9] | 64.7 [57.3 - 72.1] |
| Balmain/ Lilyfield - Rozelle | 55.6 [46.2 - 65.0] | 52.4 [46.5 - 58.2] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 73.4 [66.0 - 80.7] | 74.6 [70.0 - 79.1] |
| Burwood - Croydon | 65.8 [56.2 - 75.3] | 67.3 [59.8 - 74.8] |
| Canada Bay - East | 57.8 [48.9 - 66.8] | 55.6 [50.3 - 61.0] |
| Canada Bay - West | 62.4 [53.6 - 71.2] | 64.7 [59.5 - 69.8] |
| Canterbury (North) - Ashbury area | 67.3 [59.1 - 75.4] | 65.6 [60.6 - 70.6] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 62.8 [54.2 - 71.4] | 56.6 [51.1 - 62.2] |
| Homebush | 68.7 [60.1 - 77.3] | 71.6 [64.4 - 78.7] |
| Lakemba/ Punchbowl/ Wiley Park | 75.8 [68.8 - 82.7] | 79.7 [76.1 - 83.3] |
| Leichhardt - Annandale | 56.6 [46.7 - 66.5] | 59.5 [51.9 - 67.1] |
| Marrickville | 63.8 [54.7 - 72.9] | 63.0 [55.9 - 70.2] |
| Petersham - Stanmore | 58.5 [48.5 - 68.5] | 57.8 [49.9 - 65.7] |
| Riverwood | 72.0 [64.8 - 79.2] | 74.4 [68.6 - 80.2] |
| Roselands | 69.3 [61.4 - 77.2] | 72.0 [65.8 - 78.2] |
| Strathfield/ Strathfield South | 62.6 [53.6 - 71.5] | 67.4 [60.4 - 74.4] |
| Sydenham - Tempe - St Peters | 63.8 [55.1 - 72.6] | 64.5 [57.2 - 71.8] |
| Sydney Inner City - South West | 58.7 [49.3 - 68.1] | 57.5 [51.3 - 63.7] |

1.1.2.6 Unsafe sharing of needles

Table 8 Unsafe injection practices in people who regularly inject drugs, Sydney, 2000-2022. Source: NDARC (2022) The Illicit Drug Reporting System (IDRS).

| Year | Used needle after someone had used it | Someone reused needle after them | Shared other equipment | Reused own needle |
|------|---------------------------------------|----------------------------------|------------------------|-------------------|
| 2000 | 10% | 17% | 52% | - |
| 2001 | 11% | 17% | 38% | - |
| 2002 | 6% | 12% | 44% | - |
| 2003 | 7% | 21% | 49% | - |
| 2004 | 13% | 16% | 44% | - |
| 2005 | 14% | 15% | 36% | - |
| 2006 | 11% | 21% | 39% | - |
| 2007 | 8% | 11% | 52% | - |
| 2008 | 7% | 11% | 52% | 57% |
| 2009 | 13% | 20% | 48% | 67% |
| 2010 | 13% | 19% | 42% | 58% |
| 2011 | 13% | 15% | 30% | 53% |
| 2012 | 11% | 16% | 24% | 46% |
| 2013 | 7% | 12% | 29% | 49% |
| 2014 | 9% | 15% | 35% | 52% |
| 2015 | 7% | 14% | 29% | 40% |
| 2016 | 10% | 12% | 26% | 54% |
| 2017 | 11% | 16% | 24% | 47% |
| 2018 | 12% | 14% | 27% | 41% |
| 2019 | 9% | 13% | 7% | 46% |
| 2020 | 6% | 6% | 30% | 46% |
| 2021 | 7% | 9% | 21% | 39% |
| 2022 | <5% | 7% | 14% | 33% |

1.1.3 Personal Biomedical Factors

1.1.3.1 Prevalence of overweight & obesity

Table 9 Proportion of overweight and obese adults by Public Health Area, 2018 and 2021. Source: PHIDU (2021) Estimated male, female or total population, aged 18 years and over, who were obese or overweight, 2017-18.

| Public Health Area | Overweight or obesity | | | |
|---|-----------------------|--------------------|--------------------|--------------------|
| | 2018 | | 2021 | |
| | Males | Females | Males | Females |
| Ashfield | 63.0 [57.1 - 68.9] | 45.3 [40.0 - 50.6] | 64.0 [53.6 - 74.4] | 49.6 [40.5 - 58.8] |
| Balmain/ Lilyfield - Rozelle | 61.9 [56.6 - 67.2] | 43.8 [39.3 - 48.3] | 67.6 [60.6 - 74.6] | 53.3 [47.1 - 59.5] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 66.7 [62.9 - 70.5] | 48.7 [45.5 - 51.9] | 65.7 [57.7 - 73.6] | 52.0 [44.9 - 59.1] |
| Burwood - Croydon | 61.5 [55.6 - 67.3] | 43.2 [38.0 - 48.4] | 58.5 [48.8 - 68.1] | 44.7 [36.3 - 53.1] |
| Canada Bay - East | 66.2 [60.6 - 71.8] | 48.6 [43.6 - 53.6] | 67.3 [60.4 - 74.2] | 53.0 [46.9 - 59.2] |
| Canada Bay - West | 65.7 [62.2 - 69.2] | 48.0 [44.9 - 51.0] | 62.3 [55.7 - 68.9] | 48.5 [42.6 - 54.4] |
| Canterbury (North) - Ashbury area | 68.7 [63.9 - 73.5] | 51.4 [47.3 - 55.5] | 67.9 [59.9 - 76.0] | 53.9 [46.8 - 61.1] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 67.1 [61.4 - 72.8] | 49.1 [44.1 - 54.1] | 68.0 [60.3 - 75.6] | 53.7 [46.9 - 60.5] |
| Homebush | 64.3 [59.4 - 69.1] | 44.4 [39.8 - 49.0] | 62.0 [52.0 - 72.0] | 47.4 [38.4 - 56.3] |
| Lakemba/ Punchbowl/ Wiley Park | 70.9 [66.0 - 75.8] | 53.5 [49.5 - 57.6] | 72.0 [63.9 - 80.1] | 58.9 [51.6 - 66.2] |
| Leichhardt - Annandale | 65.2 [59.7 - 70.8] | 46.8 [42.0 - 51.5] | 69.0 [58.2 - 79.8] | 54.7 [45.1 - 64.3] |
| Marrickville | 67.9 [61.8 - 74.1] | 49.8 [44.3 - 55.2] | 69.8 [58.6 - 81.0] | 55.6 [45.6 - 65.5] |
| Petersham - Stanmore | 65.5 [59.9 - 71.1] | 47.1 [42.1 - 52.1] | 67.8 [57.0 - 78.7] | 53.5 [43.8 - 63.1] |
| Riverwood | 67.3 [62.4 - 72.3] | 49.8 [45.7 - 53.9] | 66.6 [55.6 - 77.7] | 52.7 [42.9 - 62.6] |
| Roselands | 70.8 [66.9 - 74.7] | 53.5 [50.2 - 56.7] | 70.6 [59.1 - 82.1] | 56.9 [46.6 - 67.2] |
| Strathfield/ Strathfield South | 61.1 [57.1 - 65.0] | 43.5 [40.1 - 46.9] | 68.6 [57.4 - 79.8] | 54.0 [44.2 - 63.7] |
| Sydenham - Tempe - St Peters | 69.6 [65.2 - 74.1] | 49.8 [46.1 - 53.5] | 69.8 [58.3 - 81.2] | 55.6 [45.2 - 66.0] |
| Sydney Inner City - South West | 62.0 [57.6 - 66.4] | 44.0 [40.2 - 47.8] | 68.3 [60.0 - 76.5] | 53.6 [46.2 - 60.9] |

1.2 Health System

1.2.1 Effectiveness

1.2.1.1 Immunisation rates for vaccines in the national schedule

Table 10 Proportion of children meeting criteria for full vaccination by age group and local government area, 2017-2022.
Source: Australian Immunisation Register.

| Age Group | Year | Quarter | Local Government Area | | | | | | | | |
|---------------|------|---------|-----------------------|---------|------------|------------|------------|--------------|-------|-------------|--------|
| | | | Ashfield | Burwood | Canada Bay | Canterbury | Leichhardt | Marrickville | NSW | Strathfield | Sydney |
| 12-<15 Months | 2017 | Q1 | 91.0% | 87.8% | 96.5% | 92.0% | 94.0% | 93.8% | 93.4% | 91.2% | 90.8% |
| | | Q2 | 92.2% | 92.2% | 94.8% | 92.2% | 96.7% | 94.0% | 93.7% | 87.7% | 92.6% |
| | | Q3 | 93.2% | 92.5% | 93.3% | 93.1% | 96.2% | 96.9% | 94.1% | 91.6% | 94.2% |
| | | Q4 | 90.6% | 91.1% | 95.3% | 93.1% | 94.9% | 94.1% | 94.1% | 89.9% | 90.6% |
| | 2018 | Q1 | 92.8% | 94.0% | 94.0% | 92.4% | 92.4% | 95.9% | 93.7% | 92.0% | 91.3% |
| | | Q2 | 95.6% | 87.6% | 92.0% | 92.7% | 95.0% | 94.0% | 93.9% | 91.0% | 91.3% |
| | | Q3 | 98.2% | 91.4% | 96.8% | 94.4% | 97.5% | 95.8% | 94.1% | 93.6% | 91.7% |
| | | Q4 | 92.7% | 97.5% | 95.1% | 93.8% | 91.8% | 97.3% | 94.0% | 92.2% | 90.6% |
| | 2019 | Q1 | 94.0% | 93.8% | 94.9% | 93.0% | 96.4% | 94.7% | 94.1% | 92.1% | 93.3% |
| | | Q2 | 93.3% | 95.1% | 94.7% | 89.8% | 96.8% | 95.6% | 93.8% | 95.3% | 92.6% |
| | | Q3 | 91.4% | 96.2% | 94.7% | 94.2% | 95.6% | 95.0% | 94.5% | 91.2% | 93.7% |
| | | Q4 | 94.0% | 93.9% | 94.3% | 92.5% | 96.2% | 96.2% | 94.3% | 95.0% | 93.7% |
| | 2020 | Q1 | 95.1% | 97.4% | 95.1% | 94.5% | 94.1% | 95.0% | 94.5% | 96.7% | 93.4% |
| | | Q2 | 95.0% | 93.6% | 93.2% | 96.4% | 97.3% | 97.7% | 95.0% | 96.2% | 93.6% |
| | | Q3 | 93.1% | 96.4% | 94.6% | 94.4% | 98.0% | 96.5% | 94.9% | 94.0% | 95.2% |
| | | Q4 | 94.6% | 96.2% | 95.3% | 92.9% | 97.1% | 95.8% | 94.7% | 95.2% | 93.7% |
| | 2021 | Q1 | 98.1% | 97.6% | 96.6% | 95.7% | 94.8% | 97.0% | 94.9% | 91.0% | 94.2% |
| | | Q2 | 99.0% | 96.7% | 96.9% | 94.6% | 97.7% | 95.8% | 94.8% | 95.2% | 95.1% |
| | | Q3 | 95.4% | 97.7% | 95.5% | 93.7% | 97.1% | 95.8% | 94.9% | 92.9% | 96.8% |
| | | Q4 | 95.1% | 95.3% | 98.1% | 94.7% | 95.9% | 97.4% | 94.6% | 93.3% | 95.0% |
| 2022 | Q1 | 95.4% | 93.0% | 92.6% | 91.2% | 96.1% | 97.2% | 94.0% | 97.7% | 95.8% | |
| | Q2 | 91.6% | 92.6% | 96.3% | 92.9% | 96.5% | 94.6% | 93.9% | 96.5% | 95.7% | |
| | Q3 | 98.2% | 96.1% | 96.4% | 91.5% | 95.7% | 97.4% | 93.7% | 93.2% | 93.5% | |
| | Q4 | 98.0% | 96.0% | 96.0% | 91.4% | 95.8% | 97.4% | 93.7% | 95.3% | 94.9% | |
| 24-<27 Months | 2017 | Q1 | 89.6% | 81.0% | 89.1% | 83.6% | 92.4% | 93.6% | 88.9% | 83.5% | 86.7% |
| | | Q2 | 90.4% | 91.2% | 91.3% | 84.4% | 90.4% | 92.6% | 89.9% | 86.3% | 87.8% |
| | | Q3 | 89.8% | 86.2% | 87.8% | 86.5% | 88.4% | 86.2% | 90.4% | 86.2% | 85.0% |
| | | Q4 | 93.2% | 88.8% | 89.7% | 86.1% | 88.5% | 90.1% | 89.9% | 85.8% | 87.8% |
| | 2018 | Q1 | 86.5% | 90.6% | 87.6% | 85.5% | 88.7% | 91.0% | 89.2% | 85.6% | 86.2% |
| | | Q2 | 88.8% | 87.6% | 87.9% | 86.1% | 93.9% | 90.1% | 90.0% | 87.4% | 88.3% |
| | | Q3 | 87.8% | 88.5% | 90.2% | 88.6% | 90.4% | 91.3% | 90.8% | 90.2% | 88.4% |
| | | Q4 | 87.8% | 82.7% | 92.6% | 90.2% | 89.9% | 90.4% | 90.7% | 85.8% | 84.1% |
| | 2019 | Q1 | 88.6% | 93.5% | 90.7% | 89.0% | 89.3% | 94.8% | 90.9% | 90.5% | 87.2% |
| | | Q2 | 90.4% | 86.7% | 90.6% | 90.6% | 90.4% | 90.9% | 91.3% | 87.5% | 87.6% |
| | | Q3 | 91.4% | 88.5% | 91.5% | 91.2% | 97.0% | 93.3% | 91.5% | 85.1% | 86.9% |
| | | Q4 | 90.7% | 89.5% | 91.8% | 91.6% | 88.4% | 95.7% | 91.2% | 89.6% | 88.1% |
| | 2020 | Q1 | 90.0% | 93.2% | 88.2% | 89.9% | 91.5% | 89.4% | 90.7% | 91.4% | 88.7% |
| | | Q2 | 90.2% | 91.4% | 90.8% | 87.4% | 95.0% | 90.4% | 92.1% | 90.7% | 89.2% |
| | | Q3 | 96.7% | 88.2% | 89.6% | 89.9% | 90.9% | 93.9% | 92.8% | 91.9% | 90.2% |
| | | Q4 | 93.4% | 92.6% | 94.0% | 90.6% | 92.4% | 97.0% | 92.6% | 90.3% | 90.4% |
| | 2021 | Q1 | 93.6% | 97.4% | 92.7% | 91.1% | 90.3% | 93.2% | 91.7% | 88.7% | 89.4% |
| | | Q2 | 92.6% | 89.3% | 93.3% | 94.0% | 91.5% | 96.1% | 92.9% | 90.6% | 88.4% |
| | | Q3 | 93.9% | 93.9% | 92.8% | 92.2% | 92.9% | 93.1% | 92.7% | 91.7% | 90.7% |
| | | Q4 | 89.7% | 95.3% | 93.1% | 88.4% | 94.9% | 98.0% | 92.6% | 92.2% | 91.0% |
| 2022 | Q1 | 93.3% | 93.4% | 93.7% | 91.7% | 93.1% | 95.5% | 92.5% | 91.5% | 92.3% | |
| | Q2 | 98.9% | 92.6% | 95.3% | 91.6% | 96.2% | 92.2% | 92.0% | 94.2% | 89.2% | |
| | Q3 | 94.0% | 97.4% | 92.3% | 90.5% | 93.0% | 93.3% | 92.0% | 86.8% | 94.8% | |
| | Q4 | 92.6% | 93.8% | 92.1% | 91.4% | 94.7% | 95.9% | 91.4% | 82.8% | 92.3% | |
| 60-<63 Months | 2017 | Q1 | 91.6% | 88.9% | 92.6% | 91.7% | 87.3% | 92.6% | 93.1% | 93.7% | 89.2% |
| | | Q2 | 95.9% | 91.3% | 90.5% | 92.8% | 94.9% | 94.0% | 93.8% | 88.9% | 88.1% |
| | | Q3 | 94.4% | 92.3% | 94.2% | 92.3% | 90.3% | 93.4% | 93.9% | 88.8% | 87.1% |
| | | Q4 | 92.3% | 91.1% | 91.5% | 93.0% | 95.6% | 92.6% | 94.2% | 88.4% | 90.6% |
| | 2018 | Q1 | 92.9% | 93.9% | 92.5% | 92.5% | 90.9% | 93.0% | 94.4% | 88.7% | 88.3% |

| Age Group | Year | Quarter | Local Government Area | | | | | | | | |
|-----------|------|---------|-----------------------|---------|------------|------------|------------|--------------|-------|-------------|--------|
| | | | Ashfield | Burwood | Canada Bay | Canterbury | Leichhardt | Marrickville | NSW | Strathfield | Sydney |
| | | Q2 | 91.4% | 92.8% | 95.5% | 93.3% | 95.0% | 95.3% | 94.5% | 94.2% | 87.4% |
| | | Q3 | 88.8% | 92.3% | 92.9% | 95.7% | 93.3% | 92.9% | 94.5% | 90.7% | 85.7% |
| | | Q4 | 95.3% | 89.6% | 91.7% | 93.3% | 93.4% | 93.0% | 94.3% | 89.7% | 92.3% |
| | 2019 | Q1 | 93.2% | 89.7% | 92.7% | 93.9% | 90.6% | 92.6% | 94.6% | 93.8% | 86.6% |
| | | Q2 | 96.1% | 92.0% | 91.5% | 93.3% | 92.3% | 95.1% | 94.6% | 84.1% | 86.3% |
| | | Q3 | 96.9% | 95.1% | 92.4% | 94.3% | 92.8% | 94.9% | 94.4% | 86.2% | 85.4% |
| | | Q4 | 92.6% | 89.7% | 91.2% | 94.0% | 92.7% | 92.5% | 94.5% | 92.8% | 91.3% |
| | 2020 | Q1 | 94.6% | 93.9% | 95.0% | 94.0% | 91.5% | 89.5% | 92.8% | 91.7% | 87.8% |
| | | Q2 | 92.2% | 91.8% | 92.5% | 90.9% | 92.7% | 92.2% | 94.6% | 85.7% | 87.4% |
| | | Q3 | 91.8% | 97.3% | 94.3% | 92.4% | 93.7% | 96.9% | 94.8% | 92.9% | 87.0% |
| | | Q4 | 89.8% | 94.0% | 93.8% | 94.6% | 92.4% | 91.1% | 94.9% | 90.8% | 88.7% |
| | 2021 | Q1 | 92.4% | 94.2% | 91.9% | 93.3% | 92.7% | 95.4% | 95.1% | 90.4% | 91.3% |
| | | Q2 | 95.3% | 91.9% | 94.7% | 95.6% | 95.6% | 96.5% | 94.5% | 92.4% | 89.0% |
| | | Q3 | 97.0% | 91.6% | 94.4% | 93.2% | 91.5% | 91.9% | 94.7% | 87.9% | 87.8% |
| | | Q4 | 96.2% | 89.7% | 93.2% | 95.8% | 94.5% | 93.7% | 94.4% | 91.1% | 87.4% |
| | 2022 | Q1 | 93.5% | 92.2% | 90.5% | 93.6% | 97.3% | 92.0% | 93.7% | 87.1% | 89.0% |
| | | Q2 | 89.4% | 93.2% | 92.0% | 90.9% | 93.1% | 92.4% | 94.0% | 91.2% | 82.4% |
| | | Q3 | 92.3% | 88.1% | 89.1% | 92.0% | 90.8% | 93.5% | 94.2% | 90.8% | 86.1% |
| | | Q4 | 96.0% | 91.0% | 92.5% | 94.9% | 91.4% | 92.2% | 94.0% | 96.0% | 87.3% |

1.2.1.2 Females with an antenatal visit in the first trimester of pregnancy

Table 11 Proportion of females with an antenatal visit in the first trimester of pregnancy by Statistical Area 2, 2018-2019 and 2020-2021. Source: Perinatal Data Collection, NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | 2018-2019 | 2020-2021 |
|-----------------------------------|-----------|-----------|
| Ashfield | 78.9% | 51.6% |
| Balmain | 79.1% | 62.9% |
| Belmore - Belfield | 86.4% | 50.7% |
| Burwood - Croydon | 78.5% | 61.3% |
| Canterbury (North) - Ashbury | 84.5% | 56.5% |
| Canterbury (South) - Campsie | 86.2% | 47.8% |
| Concord - Mortlake - Cabarita | 83.6% | 60.2% |
| Concord West - North Strathfield | 78.0% | 59.8% |
| Croydon Park - Enfield | 83.5% | 54.4% |
| Drummoyne - Rodd Point | 82.9% | 64.1% |
| Dulwich Hill - Lewisham | 74.5% | 49.8% |
| Erskineville - Alexandria | 79.6% | 64.0% |
| Five Dock - Abbotsford | 80.0% | 60.2% |
| Glebe - Forest Lodge | 77.7% | 57.3% |
| Haberfield - Summer Hill | 79.6% | 58.8% |
| Homebush | 77.9% | 49.1% |
| Kingsgrove (North) - Earlwood | 78.3% | 61.5% |
| Lakemba | 88.5% | 35.9% |
| Leichhardt - Annandale | 81.7% | 57.6% |
| Lilyfield - Rozelle | 81.9% | 65.8% |
| Marrickville | 76.6% | 49.5% |
| Newtown - Camperdown - Darlington | 81.0% | 48.6% |
| Petersham - Stanmore | 80.9% | 49.2% |
| Punchbowl | 73.9% | 47.1% |
| Pymont - Ultimo | 80.0% | 53.7% |
| Redfern - Chippendale | 75.1% | 57.9% |
| Riverwood | 69.4% | 58.5% |
| Roselands | 84.7% | 52.9% |
| Strathfield | 81.4% | 54.0% |
| Strathfield South | 82.3% | 63.9% |
| Sydenham - Tempe - St Peters | 75.1% | 55.0% |
| Waterloo - Beaconsfield | 73.3% | 69.4% |
| Wiley Park | 88.5% | 38.6% |

1.2.1.3 Cancer screening rates

1.2.1.3.1 Bowel Cancer

Table 12 Participation rates for bowel cancer screening programs by Statistical Area 2, 2019-2020 and 2020-2021.

Source: AIHW (2023) Cancer screening programs: quarterly data.

| Statistical Area 2 | 2019-2020 | 2020-2021 |
|-----------------------------------|-----------|-----------|
| Ashfield | 37.2% | 34.5% |
| Balmain | 42.0% | 41.5% |
| Belmore - Belfield | 32.9% | 32.5% |
| Burwood - Croydon | 37.6% | 36.2% |
| Canterbury (North) - Ashbury | 41.6% | 40.9% |
| Canterbury (South) - Campsie | 34.0% | 32.5% |
| Concord - Mortlake - Cabarita | 43.3% | 40.9% |
| Concord West - North Strathfield | 38.9% | 36.9% |
| Croydon Park - Enfield | 39.6% | 38.2% |
| Drummoyne - Rodd Point | 43.4% | 41.7% |
| Dulwich Hill - Lewisham | 40.5% | 39.2% |
| Erskineville - Alexandria | 42.7% | 40.9% |
| Five Dock - Abbotsford | 42.6% | 40.5% |
| Glebe - Forest Lodge | 36.7% | 34.2% |
| Haberfield - Summer Hill | 44.7% | 41.9% |
| Homebush | 34.0% | 31.7% |
| Kingsgrove (North) - Earlwood | 40.5% | 38.6% |
| Lakemba | 28.9% | 27.0% |
| Leichhardt - Annandale | 41.8% | 42.2% |
| Lilyfield - Rozelle | 42.8% | 41.2% |
| Marrickville | 38.9% | 37.3% |
| Newtown - Camperdown - Darlington | 39.6% | 38.8% |
| Petersham - Stanmore | 38.3% | 37.3% |
| Punchbowl | 32.3% | 30.8% |
| Pyrmont - Ultimo | 39.3% | 36.9% |
| Redfern - Chippendale | 34.2% | 33.4% |
| Riverwood | 36.1% | 33.5% |
| Roselands | 35.9% | 33.8% |
| Strathfield | 35.4% | 33.4% |
| Strathfield South | 43.0% | 40.5% |
| Sydenham - Tempe - St Peters | 39.0% | 38.6% |
| Waterloo - Beaconsfield | 34.1% | 33.2% |
| Wiley Park | 29.6% | 27.5% |

1.2.1.3.2 Breast Cancer

Table 13 Participation rates for breast cancer screening programs by Statistical Area 3, 2017-2018 and 2019-2020.

Source: AIHW (2023) Cancer screening programs: quarterly data.

| Statistical Area 3 | 2017-2018 | 2019-2020 |
|-------------------------------------|-----------|-----------|
| Canada Bay | 49.8% | 45.6% |
| Canterbury | 46.5% | 41.4% |
| Leichhardt | 53.8% | 51.0% |
| Marrickville - Sydenham - Petersham | 48.8% | 46.1% |
| Strathfield - Burwood - Ashfield | 48.5% | 42.5% |
| Sydney Inner City | 43.7% | 40.0% |

1.2.1.3.3 Cervical Cancer

Table 14 Participation rates for cervical cancer screening programs by Statistical Area 3, 2015-2016 and 2018-2021.

Source: AIHW (2023) Cancer screening programs: quarterly data.

| Statistical Area 3 | 2015-2016 | 2018-2021 |
|-------------------------------------|-----------|-----------|
| Canada Bay | 57.6% | 66.5% |
| Canterbury | 50.6% | 57.2% |
| Leichhardt | 66.8% | 77.2% |
| Marrickville - Sydenham - Petersham | 56.6% | 66.9% |
| Strathfield - Burwood - Ashfield | 51.0% | 61.3% |
| Sydney Inner City | 47.8% | 62.0% |

1.2.1.4 Selected potentially preventable hospitalisations

1.2.1.4.1 Total and acute conditions

Table 15 Age-standardised rates (per 100,000) of potentially preventable hospitalisations by type and Statistical Area 2, 2016-2018 and 2019-2021. . Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | Acute | | Total | |
|-----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 2015-2017 | 2018-2020 | 2015-2017 | 2018-2020 |
| Ashfield | 130.0 [103.5 - 161.1] | 92.4 [70.7 - 118.5] | 196.9 [164.3 - 234.1] | 151.4 [123.9 - 183.1] |
| Balmain | 170.9 [133.4 - 215.8] | 116.9 [86.1 - 155.0] | 218.0 [175.6 - 267.6] | 148.8 [114.0 - 190.8] |
| Belmore - Belfield | 115.7 [89.6 - 147.0] | 119.2 [92.7 - 150.8] | 190.2 [156.6 - 228.9] | 170.0 [138.4 - 206.6] |
| Burwood - Croydon | 79.8 [59.8 - 104.5] | 86.0 [64.8 - 111.9] | 150.2 [122.3 - 182.6] | 136.0 [109.7 - 166.7] |
| Canterbury (North) - Ashbury | 106.4 [72.5 - 150.7] | <30 cases | 156.9 [116.2 - 207.3] | 149.0 [111.2 - 195.6] |
| Canterbury (South) - Campsie | 128.4 [106.1 - 153.9] | 98.9 [79.9 - 121.0] | 202.6 [174.4 - 234.1] | 174.0 [148.5 - 202.6] |
| Concord - Mortlake - Cabarita | 85.2 [63.8 - 111.6] | 76.5 [56.3 - 101.7] | 137.1 [109.8 - 169.1] | 123.8 [98.1 - 154.2] |
| Concord West - North Strathfield | 115.5 [90.2 - 145.7] | 87.4 [65.7 - 114.1] | 184.1 [151.7 - 221.5] | 138.8 [111.6 - 170.6] |
| Croydon Park - Enfield | 73.4 [51.6 - 101.3] | 87.8 [63.8 - 117.8] | 143.5 [113.0 - 179.6] | 149.9 [118.3 - 187.3] |
| Drummoyne - Rodd Point | 98.6 [73.3 - 129.7] | 92.0 [66.7 - 123.8] | 138.9 [108.7 - 174.9] | 117.5 [89.0 - 152.3] |
| Dulwich Hill - Lewisham | 131.2 [100.5 - 168.4] | 94.6 [69.9 - 125.2] | 180.7 [144.8 - 222.7] | 130.9 [102.0 - 165.6] |
| Erskineville - Alexandria | 127.3 [94.8 - 167.5] | 165.2 [126.7 - 211.7] | 175.5 [136.8 - 221.7] | 239.4 [192.2 - 294.8] |
| Five Dock - Abbotsford | 73.1 [52.2 - 99.6] | 105.2 [79.2 - 137.0] | 115.1 [88.8 - 146.6] | 137.2 [108.0 - 171.9] |
| Glebe - Forest Lodge | 142.3 [111.7 - 178.9] | 140.2 [108.7 - 178.1] | 202.9 [166.3 - 245.2] | 195.7 [158.7 - 238.7] |
| Haberfield - Summer Hill | 113.0 [81.8 - 152.1] | <30 cases | 150.3 [114.3 - 193.9] | 98.2 [69.6 - 134.7] |
| Homebush | 185.0 [144.4 - 233.4] | 135.5 [104.0 - 173.7] | 323.1 [267.8 - 386.6] | 253.9 [207.2 - 307.9] |
| Kingsgrove (North) - Earlwood | 116.1 [91.8 - 144.8] | 82.0 [61.7 - 106.8] | 161.0 [132.7 - 193.4] | 129.2 [103.9 - 158.6] |
| Lakemba | 193.2 [157.2 - 234.9] | 116.5 [89.1 - 149.8] | 303.9 [257.1 - 356.8] | 216.3 [177.5 - 261.1] |
| Leichhardt - Annandale | 118.8 [94.9 - 147.0] | 138.3 [113.7 - 166.7] | 172.6 [143.4 - 205.9] | 173.0 [145.3 - 204.3] |
| Lilyfield - Rozelle | 141.7 [106.2 - 185.3] | 98.3 [68.5 - 136.7] | 188.7 [147.5 - 237.7] | 120.8 [88.2 - 161.4] |
| Marrickville | 130.9 [106.9 - 158.7] | 108.4 [86.4 - 134.4] | 199.3 [169.9 - 232.4] | 155.9 [129.2 - 186.4] |
| Newtown - Camperdown - Darlington | 97.9 [76.0 - 124.1] | 127.0 [101.0 - 157.8] | 145.5 [116.9 - 179.0] | 165.8 [135.9 - 200.3] |
| Petersham - Stanmore | 141.1 [111.0 - 176.9] | 124.5 [96.5 - 158.1] | 182.5 [148.3 - 222.2] | 171.0 [138.2 - 209.3] |
| Punchbowl | 166.3 [136.7 - 200.4] | 82.0 [61.7 - 106.8] | 255.3 [217.6 - 297.7] | 149.3 [121.4 - 181.8] |
| Pymont - Ultimo | 130.7 [97.1 - 172.3] | 89.7 [64.8 - 121.1] | 174.9 [136.5 - 220.8] | 125.1 [95.0 - 161.7] |
| Redfern - Chippendale | 97.9 [73.7 - 127.5] | 121.6 [92.0 - 157.7] | 152.9 [122.4 - 188.7] | 158.8 [125.9 - 197.8] |
| Riverwood | 96.1 [65.7 - 135.8] | <30 cases | 189.3 [145.9 - 241.5] | 175.6 [134.6 - 225.1] |
| Roselands | 98.6 [70.7 - 133.9] | <30 cases | 158.3 [122.7 - 201.0] | 121.3 [90.5 - 159.2] |
| Strathfield | 93.4 [71.7 - 119.6] | 88.2 [66.9 - 114.1] | 150.8 [122.9 - 183.2] | 131.9 [105.8 - 162.5] |
| Strathfield South | <30 cases | <30 cases | <30 cases | <30 cases |
| Sydenham - Tempe - St Peters | 146.9 [101.4 - 205.8] | 144.9 [101.1 - 201.3] | 229.0 [170.7 - 300.7] | 190.4 [140.1 - 252.9] |
| Waterloo - Beaconsfield | 114.2 [92.7 - 139.1] | 109.9 [90.0 - 132.9] | 178.5 [149.8 - 211.0] | 161.5 [137.1 - 189.1] |
| Wiley Park | 123.7 [87.0 - 170.6] | 105.7 [72.7 - 148.5] | 215.6 [165.4 - 276.2] | 192.1 [145.3 - 249.1] |

1.2.1.4.2 Chronic conditions and vaccine preventable conditions

Table 16 Age-standardised rates (per 100,000) of potentially avoidable deaths due to avoidable cancers, circulatory disease and avoidable external causes by Statistical Area , 2016-2018 and 2019-2021. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Type | Statistical Area 3 | 2015-2017 | 2018-2020 |
|---------------------|-------------------------------------|--------------------|--------------------|
| Chronic | Canada Bay | 36.6 [28.3 - 46.5] | 37.0 [28.7 - 46.9] |
| | Canterbury | 49.9 [41.9 - 59.1] | 45.0 [37.5 - 53.5] |
| | Leichhardt | 35.5 [25.6 - 47.9] | <30 cases |
| | Marrickville - Sydenham - Petersham | 41.1 [30.2 - 54.7] | 26.1 [17.6 - 37.2] |
| | Strathfield - Burwood - Ashfield | 48.7 [41.1 - 57.4] | 40.8 [34.0 - 48.6] |
| | Sydney Inner City | 46.5 [39.7 - 54.0] | 37.2 [31.6 - 43.6] |
| Vaccine preventable | Canada Bay | 21.3 [15.2 - 29.1] | 16.3 [11.1 - 23.0] |
| | Canterbury | 44.6 [37.0 - 53.3] | 38.2 [31.3 - 46.0] |
| | Leichhardt | <30 cases | <30 cases |
| | Marrickville - Sydenham - Petersham | 35.6 [25.5 - 48.3] | <30 cases |
| | Strathfield - Burwood - Ashfield | 36.7 [30.2 - 44.1] | 29.0 [23.5 - 35.3] |
| | Sydney Inner City | 34.6 [28.9 - 41.1] | 30.5 [25.5 - 36.2] |

1.2.1.5 Survival of people diagnosed with cancer

No data displayed

1.2.1.6 Potentially avoidable deaths

1.2.1.6.1 Total

Table 17 Age-standardised rates (per 100,000) of potentially avoidable deaths by Statistical Area 2, 2016-2018 and 2019-2021. Source: Cause of Death Unit Record File held by the NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | Total | |
|-----------------------------------|-----------------------|-----------------------|
| | 2016-2018 | 2019-2021 |
| Ashfield | 93.3 [71.8 - 119.2] | 84.6 [64.7 - 108.8] |
| Balmain | 52.9 [35.8 - 75.3] | 77.2 [56.5 - 103.1] |
| Belmore - Belfield | 96.4 [73.5 - 124.3] | 69.0 [50.2 - 92.6] |
| Burwood - Croydon | 75.5 [56.0 - 99.8] | 79.8 [60.5 - 103.3] |
| Canterbury (South) - Campsie | 89.5 [70.7 - 111.7] | 71.8 [55.9 - 90.8] |
| Concord - Mortlake - Cabarita | 42.3 [29.2 - 59.3] | 64.4 [47.5 - 85.3] |
| Concord West - North Strathfield | 62.4 [43.6 - 86.5] | 50.6 [34.4 - 71.8] |
| Croydon Park - Enfield | 93.9 [70.3 - 122.7] | 68.3 [48.8 - 93.0] |
| Drummoyne - Rodd Point | 57.5 [40.0 - 80.0] | 54.1 [37.7 - 75.3] |
| Dulwich Hill - Lewisham | 103.2 [76.5 - 136.2] | 84.5 [61.1 - 113.8] |
| Erskineville - Alexandria | | 91.3 [64.0 - 126.2] |
| Five Dock - Abbotsford | 75.9 [56.8 - 99.4] | 86.9 [65.4 - 113.2] |
| Glebe - Forest Lodge | 84.7 [62.7 - 111.9] | 112.0 [87.2 - 141.7] |
| Haberfield - Summer Hill | 99.2 [71.6 - 134.0] | 109.3 [80.6 - 145.1] |
| Homebush | | 66.0 [42.6 - 97.5] |
| Kingsgrove (North) - Earlwood | 76.5 [58.1 - 98.9] | 58.6 [43.2 - 77.6] |
| Lakemba | 80.3 [55.1 - 113.1] | 77.4 [52.7 - 109.6] |
| Leichhardt - Annandale | 64.4 [48.1 - 84.3] | 88.6 [69.5 - 111.4] |
| Lilyfield - Rozelle | 88.6 [63.7 - 120.0] | 82.9 [59.2 - 113.0] |
| Marrickville | 83.2 [64.0 - 106.3] | 103.0 [81.7 - 128.3] |
| Newtown - Camperdown - Darlington | 86.1 [61.7 - 116.8] | 78.9 [57.6 - 105.4] |
| Petersham - Stanmore | 91.0 [67.5 - 119.9] | 98.2 [74.7 - 126.6] |
| Punchbowl | 101.5 [77.1 - 131.2] | 77.7 [57.4 - 103.0] |
| Redfern - Chippendale | 149.5 [117.5 - 187.5] | 173.9 [139.7 - 213.9] |
| Riverwood | 122.0 [88.8 - 163.4] | 112.2 [80.8 - 151.7] |
| Roselands | 85.0 [59.8 - 117.3] | 77.5 [54.1 - 107.5] |
| Strathfield | 56.6 [39.9 - 78.0] | 49.8 [35.1 - 68.6] |
| Sydenham - Tempe - St Peters | 134.3 [90.5 - 192.1] | |
| Waterloo - Beaconsfield | 139.6 [113.6 - 169.8] | 130.6 [106.4 - 158.7] |

1.2.1.6.2 Specific conditions

Table 18 Age-standardised rates (per 100,000) of potentially avoidable deaths due to avoidable cancers, circulatory disease and avoidable external causes by Statistical Area, 2016-2018 and 2019-2021. Source: Cause of Death Unit Record File held by the NSW Ministry of Health SAPHaRI.

| Type | Statistical Area 3 | 2016-2018 | 2019-2021 |
|-------------|-------------------------------------|--------------------|--------------------|
| Cancer | Canada Bay | 15.4 [11.2 - 20.7] | 19.4 [14.7 - 25.2] |
| | Canterbury | 17.7 [13.8 - 22.3] | 17.0 [13.3 - 21.4] |
| | Leichhardt | 20.5 [14.6 - 28.0] | 20.4 [14.6 - 27.9] |
| | Marrickville - Sydenham - Petersham | 24.3 [17.1 - 33.4] | 24.0 [17.1 - 32.8] |
| | Strathfield - Burwood - Ashfield | 18.4 [14.6 - 22.9] | 19.5 [15.6 - 24.0] |
| | Sydney Inner City | 17.3 [13.9 - 21.4] | 21.7 [18.0 - 26.1] |
| Circulatory | Canada Bay | 16.2 [11.9 - 21.6] | 14.8 [10.7 - 20.0] |
| | Canterbury | 30.4 [25.2 - 36.3] | 27.2 [22.5 - 32.6] |
| | Leichhardt | 15.0 [10.0 - 21.7] | 25.6 [19.1 - 33.7] |
| | Marrickville - Sydenham - Petersham | 28.1 [20.4 - 37.8] | 27.1 [19.6 - 36.5] |
| | Strathfield - Burwood - Ashfield | 23.8 [19.4 - 28.9] | 22.3 [18.2 - 27.0] |
| | Sydney Inner City | 22.5 [18.5 - 27.0] | 23.4 [19.5 - 27.8] |
| External | Canada Bay | 15.4 [11.0 - 20.8] | 16.8 [12.1 - 22.6] |
| | Canterbury | 19.0 [15.1 - 23.7] | 12.0 [8.9 - 15.8] |
| | Leichhardt | 17.3 [11.8 - 24.4] | 21.5 [15.2 - 29.5] |
| | Marrickville - Sydenham - Petersham | 23.0 [16.1 - 31.9] | 24.2 [17.3 - 32.8] |
| | Strathfield - Burwood - Ashfield | 19.1 [15.3 - 23.7] | 18.0 [14.4 - 22.3] |
| | Sydney Inner City | 35.8 [31.1 - 41.1] | 36.3 [31.6 - 41.5] |

1.2.2 Safety

1.2.2.1 Adverse events treated in hospitals

Table 19 Adverse events treated in hospital per 100 admissions by hospital within the Sydney Local Health District, 2010-2021. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Type | Year | Hospital | | |
|-----------------------------------|------|------------|---------|---------------------|
| | | Canterbury | Concord | Royal Prince Alfred |
| Diagnosis-related adverse events | 2010 | 1.19 | 3.09 | 1.91 |
| | 2011 | 2.18 | 3.18 | 2.09 |
| | 2012 | 2.53 | 3.18 | 1.93 |
| | 2013 | 2.06 | 2.95 | 1.91 |
| | 2014 | 1.87 | 2.74 | 2.09 |
| | 2015 | 1.73 | 3.21 | 1.98 |
| | 2016 | 0.69 | 2.71 | 1.68 |
| | 2017 | 0.43 | 2.79 | 1.61 |
| | 2018 | 0.64 | 2.84 | 1.46 |
| | 2019 | 0.97 | 1.87 | 1.59 |
| | 2020 | 0.60 | 2.04 | 0.97 |
| | 2021 | 0.60 | 3.82 | 1.01 |
| External causes of adverse events | 2010 | 2.07 | 5.05 | 2.76 |
| | 2011 | 3.16 | 5.60 | 2.98 |
| | 2012 | 3.41 | 5.29 | 3.12 |
| | 2013 | 2.85 | 4.97 | 3.07 |
| | 2014 | 2.47 | 4.37 | 3.10 |
| | 2015 | 2.70 | 5.24 | 3.31 |
| | 2016 | 1.57 | 4.84 | 2.79 |
| | 2017 | 1.38 | 5.03 | 2.74 |
| | 2018 | 1.74 | 4.81 | 2.56 |
| | 2019 | 2.00 | 3.26 | 2.27 |
| | 2020 | 1.40 | 4.44 | 1.38 |
| | 2021 | 1.95 | 6.39 | 1.36 |
| Total adverse events | 2010 | 3.26 | 8.14 | 4.67 |
| | 2011 | 5.34 | 8.78 | 5.08 |
| | 2012 | 5.94 | 8.47 | 5.05 |
| | 2013 | 4.91 | 7.92 | 4.98 |
| | 2014 | 4.33 | 7.11 | 5.18 |
| | 2015 | 4.43 | 8.45 | 5.29 |
| | 2016 | 2.26 | 7.55 | 4.48 |
| | 2017 | 1.81 | 7.82 | 4.34 |
| | 2018 | 2.37 | 7.65 | 4.02 |
| | 2019 | 2.97 | 5.14 | 3.86 |
| | 2020 | 2.00 | 6.48 | 2.35 |
| | 2021 | 2.55 | 10.21 | 2.37 |

1.2.2.2 Healthcare associated Staphylococcus aureus blood infections

1.2.2.2.1 Number of admissions to hospital

Table 20 Total number of hospital admissions by hospital within the Sydney Local Health District, 2011-2020. Source: AIHW MyHospitals API.

| Year | Hospital | | | |
|------|----------|------------|----------------------|---------------------|
| | Balmain | Canterbury | Concord Repatriation | Royal Prince Alfred |
| 2011 | 1,890 | 14,609 | 49,976 | 68,283 |
| 2012 | 2,253 | 15,836 | 52,704 | 68,977 |
| 2013 | 2,269 | 15,871 | 53,188 | 75,457 |
| 2014 | 2,212 | 16,627 | 55,103 | 77,065 |
| 2015 | 2,172 | 18,883 | 56,872 | 76,871 |
| 2016 | 2,039 | 19,835 | 58,028 | 79,546 |
| 2017 | 2,125 | 20,291 | 60,309 | 78,919 |
| 2018 | 2,660 | 19,982 | 62,485 | 79,277 |
| 2019 | 2,306 | 17,824 | 58,669 | 75,467 |
| 2020 | 2,089 | 17,964 | 56,177 | 79,228 |

Table 21 Rates of healthcare associated Staphylococcus aureus blood infections (per 100,000 patient days) by hospital within the Sydney Local Health District, 2011-2019. Source: AIHW MyHospitals API.

| Year | Hospital | | | |
|------|----------|------------|----------------------|---------------------|
| | Balmain | Canterbury | Concord Repatriation | Royal Prince Alfred |
| 2010 | 0.40 | 0.69 | 1.72 | 1.56 |
| 2011 | 1.23 | 0.17 | 1.25 | 1.05 |
| 2012 | 0.39 | 0.52 | 0.97 | 1.01 |
| 2013 | 0.00 | 0.18 | 1.24 | 1.28 |
| 2014 | 1.16 | 0.57 | 1.06 | 1.00 |
| 2015 | 1.15 | 0.90 | 0.90 | 1.40 |
| 2016 | 0.41 | 0.16 | 0.88 | 0.97 |
| 2017 | 0.00 | 0.30 | 0.94 | 1.20 |
| 2018 | 0.00 | 0.64 | 1.06 | 0.95 |
| 2019 | 0.37 | 0.37 | 0.99 | 1.29 |

1.2.2.3 Sentinel events

Table 22 Number of sentinel events by broad category, and total, across hospitals in New South Wales, 2012-2018.
Source: AIHW MyHospitals API.

| Year | Sentinel Event | | | All sentinel events |
|---------|------------------|----------------------|---|---------------------|
| | Medication error | Retained instruments | Suicide of a patient in an inpatient unit | |
| 2012-13 | 2 | 13 | 15 | 38 |
| 2013-14 | 12 | 18 | 18 | 53 |
| 2014-15 | 3 | 20 | 15 | 45 |
| 2015-16 | 4 | 9 | 9 | 34 |
| 2016-17 | 2 | 8 | 4 | 18 |
| 2017-18 | 3 | 7 | 7 | 20 |

1.2.2.4 Rate of seclusion

Table 23 Rates of restrictive practices used (per 1,000 patient days) by hospital within the Sydney Local Health District, 2018-2019. Source: [AIHW MyHospitals API](#).

| Type | Year | Hospital | |
|----------------------------|------|----------------------|---------------------|
| | | Concord Repatriation | Royal Prince Alfred |
| Rate of seclusion | 2018 | 11.66 | 6.19 |
| | 2019 | 12.74 | 6.39 |
| | 2020 | 13.69 | 4.21 |
| | 2021 | 12.13 | 3.90 |
| Rate of physical restraint | 2018 | 9.66 | 9.42 |
| | 2019 | 9.22 | 9.63 |
| | 2020 | 10.24 | 8.60 |
| | 2021 | 9.76 | 5.03 |

1.2.2.5 Continuity of Care

1.2.2.6 Unplanned hospital readmission rates

Table 24 Unplanned 28-day readmission following certain procedures, by hospital within Sydney Local Health District and year, 2011-2021. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Year | Hospital | | |
|------|------------|----------------------|---------------------|
| | Canterbury | Concord Repatriation | Royal Prince Alfred |
| 2011 | 19.4 | 35.8 | 20.9 |
| 2012 | 30.0 | 31.3 | 25.1 |
| 2013 | 32.5 | 40.3 | 22.9 |
| 2014 | 24.0 | 25.9 | 19.4 |
| 2015 | 25.6 | 19.4 | 21.8 |
| 2016 | 17.5 | 16.3 | 28.3 |
| 2017 | 26.7 | 18.9 | 28.1 |
| 2018 | 15.4 | 14.5 | 21.4 |
| 2019 | 11.9 | 14.4 | 21.3 |
| 2020 | 20.7 | 12.2 | 22.5 |
| 2021 | 17.3 | 16.0 | 17.4 |

1.2.2.7 Accessibility

1.2.2.8 Bulk billing for non referred (GP) attendances

Table 25 Proportion of population accessing bulk-billed non-referred (GP) attendances by sex and Statistical Area Level 3, 2019-2020, 2020-2021. Source: AIHW Medicare-subsidised GP, allied health and specialist health care across local areas.

| Statistical Area 3 | Males | | Females | |
|-------------------------------------|---------|---------|---------|---------|
| | 2019-20 | 2020-21 | 2019-20 | 2020-21 |
| Canada Bay | 76.9% | 74.3% | 83.7% | 81.2% |
| Canterbury | 83.1% | 79.3% | 89.6% | 86.0% |
| Leichhardt | 80.4% | 76.8% | 87.3% | 83.9% |
| Marrickville - Sydenham - Petersham | 75.4% | 72.2% | 82.4% | 79.5% |
| Strathfield - Burwood - Ashfield | 72.0% | 68.6% | 80.1% | 76.9% |
| Sydney Inner City | 60.7% | 58.3% | 62.8% | 59.8% |

1.2.2.9 Waiting times for elective surgery: waiting times in days

Table 26 Median waiting time for commencement of elective surgery (days) by urgency category and hospital within the Sydney Local Health District, 2011-2019. Source: AIHW MyHospitals API.

| Urgency | Year | Hospital | | |
|-------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| Urgent | 2011 | 13 | 8 | 6 |
| | 2012 | 11 | 6 | 6 |
| | 2013 | 11 | 7 | 6 |
| | 2014 | 12 | 7 | 6 |
| | 2015 | 10 | 7 | 5 |
| | 2016 | 12 | 7 | 5 |
| | 2017 | 11 | 6 | 5 |
| | 2018 | 14 | 6 | 5 |
| | 2019 | 11 | 6 | 5 |
| | 2020 | 17 | 7 | 4 |
| | 2021 | 16 | 6 | 5 |
| Semi-urgent | 2011 | 62 | 44 | 20 |
| | 2012 | 50 | 39 | 16 |
| | 2013 | 49 | 38 | 18 |
| | 2014 | 49 | 38 | 21 |
| | 2015 | 52 | 39 | 19 |
| | 2016 | 50 | 39 | 15 |
| | 2017 | 49 | 40 | 15 |
| | 2018 | 53 | 39 | 17 |
| | 2019 | 50 | 36 | 13 |
| | 2020 | 51 | 41 | 14 |
| | 2021 | 49 | 65 | 14 |
| Non-urgent | 2011 | 276 | 85 | 15 |
| | 2012 | 238 | 84 | 13 |
| | 2013 | 224 | 97 | 19 |
| | 2014 | 204 | 126 | 22 |
| | 2015 | 190 | 155 | 34 |
| | 2016 | 176 | 109 | 28 |
| | 2017 | 224 | 97 | 34 |
| | 2018 | 196 | 97 | 38 |
| | 2019 | 195 | 94 | 29 |
| | 2020 | 229 | 133 | 27 |
| | 2021 | 200 | 184 | 35 |

1.2.2.10 Waiting times for elective surgery: proportion admitted within clinically recommended time

Table 27 Proportion of patients admitted for elective surgery within the clinically recommended time by urgency category and hospital within the Sydney Local Health District, 2011-2019. Source: AIHW MyHospitals API.

| Urgency | Year | Hospital | | |
|-------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| Urgent | 2011 | 99.0% | 98.0% | 99.0% |
| | 2012 | 100.0% | 100.0% | 100.0% |
| | 2013 | 100.0% | 100.0% | 100.0% |
| | 2014 | 100.0% | 100.0% | 100.0% |
| | 2015 | 100.0% | 100.0% | 100.0% |
| | 2016 | 100.0% | 100.0% | 100.0% |
| | 2017 | 100.0% | 100.0% | 100.0% |
| | 2018 | 100.0% | 100.0% | 100.0% |
| | 2019 | 100.0% | 100.0% | 100.0% |
| | 2020 | 100.0% | 100.0% | 100.0% |
| | 2021 | 100.0% | 100.0% | 100.0% |
| Semi-urgent | 2011 | 87.0% | 96.0% | 100.0% |
| | 2012 | 99.0% | 100.0% | 100.0% |
| | 2013 | 100.0% | 100.0% | 100.0% |
| | 2014 | 100.0% | 100.0% | 100.0% |
| | 2015 | 100.0% | 100.0% | 100.0% |
| | 2016 | 100.0% | 100.0% | 100.0% |
| | 2017 | 100.0% | 100.0% | 100.0% |
| | 2018 | 100.0% | 100.0% | 100.0% |
| | 2019 | 100.0% | 100.0% | 100.0% |
| | 2020 | 100.0% | 99.0% | 100.0% |
| | 2021 | 100.0% | 65.0% | 99.0% |
| Non-urgent | 2011 | 93.0% | 99.0% | 99.0% |
| | 2012 | 100.0% | 100.0% | 100.0% |
| | 2013 | 100.0% | 100.0% | 100.0% |
| | 2014 | 100.0% | 100.0% | 100.0% |
| | 2015 | 100.0% | 100.0% | 100.0% |
| | 2016 | 100.0% | 100.0% | 100.0% |
| | 2017 | 100.0% | 100.0% | 100.0% |
| | 2018 | 100.0% | 100.0% | 100.0% |
| | 2019 | 100.0% | 100.0% | 100.0% |
| | 2020 | 97.0% | 95.0% | 96.0% |
| | 2021 | 82.0% | 79.0% | 97.0% |

1.2.2.11 Waiting times for elective surgery: percentage waited more than 365 days

No data displayed

1.2.2.12 Waiting times for emergency hospital care: proportion seen on time

Table 28 Proportion of patients admitted for elective surgery within the clinically recommended time by urgency category and hospital within the Sydney Local Health District, 2011-2019. Source: AIHW MyHospitals API.

| Urgency | Year | Hospital | | |
|-------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| Emergency | 2011 | 84.0% | 94.0% | 78.0% |
| | 2012 | 85.0% | 92.0% | 67.0% |
| | 2013 | 89.0% | 93.0% | 65.0% |
| | 2014 | 89.0% | 92.0% | 64.0% |
| | 2015 | 92.0% | 90.0% | 73.0% |
| | 2016 | 91.0% | 94.0% | 79.0% |
| | 2017 | 89.0% | 87.0% | 78.0% |
| | 2018 | 88.0% | 88.0% | 81.0% |
| | 2019 | 90.0% | 85.0% | 82.0% |
| | 2020 | 89.0% | 92.0% | 83.0% |
| | 2021 | 92.0% | 90.0% | 79.0% |
| Urgent | 2011 | 63.0% | 76.0% | 63.0% |
| | 2012 | 62.0% | 75.0% | 53.0% |
| | 2013 | 76.0% | 76.0% | 58.0% |
| | 2014 | 80.0% | 74.0% | 60.0% |
| | 2015 | 85.0% | 72.0% | 70.0% |
| | 2016 | 80.0% | 83.0% | 69.0% |
| | 2017 | 79.0% | 72.0% | 67.0% |
| | 2018 | 76.0% | 76.0% | 70.0% |
| | 2019 | 79.0% | 76.0% | 78.0% |
| | 2020 | 80.0% | 77.0% | 80.0% |
| | 2021 | 77.0% | 78.0% | 79.0% |
| Semi-Urgent | 2011 | 71.0% | 78.0% | 70.0% |
| | 2012 | 68.0% | 78.0% | 62.0% |
| | 2013 | 79.0% | 81.0% | 68.0% |
| | 2014 | 83.0% | 78.0% | 71.0% |
| | 2015 | 88.0% | 77.0% | 77.0% |
| | 2016 | 82.0% | 88.0% | 78.0% |
| | 2017 | 82.0% | 85.0% | 75.0% |
| | 2018 | 80.0% | 81.0% | 80.0% |
| | 2019 | 79.0% | 79.0% | 85.0% |
| | 2020 | 86.0% | 81.0% | 84.0% |
| | 2021 | 79.0% | 83.0% | 85.0% |
| Non-Urgent | 2011 | 91.0% | 94.0% | 86.0% |
| | 2012 | 91.0% | 95.0% | 86.0% |
| | 2013 | 94.0% | 97.0% | 89.0% |
| | 2014 | 96.0% | 96.0% | 89.0% |
| | 2015 | 96.0% | 96.0% | 87.0% |
| | 2016 | 94.0% | 96.0% | 92.0% |
| | 2017 | 93.0% | 96.0% | 92.0% |
| | 2018 | 93.0% | 95.0% | 94.0% |
| | 2019 | 95.0% | 96.0% | 96.0% |
| | 2020 | 97.0% | 96.0% | 97.0% |
| | 2021 | 97.0% | 97.0% | 98.0% |

1.2.2.13 Waiting times for emergency department care: waiting times to commencement of clinical care

Table 29 Median waiting times until commencement of clinical care (hours) by subsequent admission status and hospital within the Sydney Local Health District, 2011-2021. Source: AIHW MyHospitals API.

| Outcome | Year | Hospital | | |
|---------------------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| All patients | 2011 | 3h 51m | 3h 40m | 4h 11m |
| | 2012 | 3h 33m | 3h 20m | 3h 58m |
| | 2013 | 2h 54m | 3h 4m | 3h 23m |
| | 2014 | 2h 45m | 3h 11m | 3h 25m |
| | 2015 | 2h 37m | 3h 7m | 3h 34m |
| | 2016 | 2h 49m | 2h 59m | 3h 35m |
| | 2017 | 2h 55m | 3h 14m | 3h 34m |
| | 2018 | 2h 57m | 3h 22m | 3h 37m |
| | 2019 | 2h 58m | 3h 17m | 3h 21m |
| | 2020 | 2h 56m | 3h 16m | 3h 37m |
| | 2021 | 3h 6m | 3h 41m | 3h 44m |
| Subsequently admitted | 2011 | 6h 50m | 5h 47m | 6h 37m |
| | 2012 | 5h 51m | 4h 47m | 6h 17m |
| | 2013 | 4h 29m | 4h 14m | 4h 49m |
| | 2014 | 3h 57m | 4h 47m | 5h 20m |
| | 2015 | 3h 55m | 4h 34m | 5h 20m |
| | 2016 | 3h 52m | 3h 56m | 5h 6m |
| | 2017 | 3h 56m | 3h 54m | 4h 47m |
| | 2018 | 3h 57m | 3h 53m | 5h 18m |
| | 2019 | 3h 58m | 3h 56m | 4h 47m |
| | 2020 | 3h 57m | 4h 28m | 4h 58m |
| | 2021 | 5h 49m | 5h 26m | 5h 53m |
| Not subsequently admitted | 2011 | 3h 19m | 2h 47m | 3h 24m |
| | 2012 | 3h 7m | 2h 37m | 3h 21m |
| | 2013 | 2h 30m | 2h 28m | 2h 44m |
| | 2014 | 2h 23m | 2h 31m | 2h 46m |
| | 2015 | 2h 19m | 2h 36m | 3h 3m |
| | 2016 | 2h 25m | 2h 31m | 3h 6m |
| | 2017 | 2h 30m | 2h 36m | 3h 4m |
| | 2018 | 2h 33m | 2h 46m | 3h 5m |
| | 2019 | 2h 32m | 2h 37m | 2h 46m |
| | 2020 | 2h 33m | 2h 35m | 3h 7m |
| | 2021 | 2h 45m | 2h 59m | 3h 15m |

1.2.2.14 Waiting times for emergency department care: percentage of patients whose length of emergency department stay is 4 hours or less

Table 30 Proportion of patients whose length of emergency department stay was four hours or less, by subsequent admission status and hospital within the Sydney Local Health District, 2011-2021. Source: AIHW MyHospitals API.

| Urgency | Year | Hospital | | |
|-------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| Emergency | 2011 | 32% | 36% | 31% |
| | 2012 | 49% | 51% | 37% |
| | 2013 | 64% | 64% | 54% |
| | 2014 | 71% | 59% | 53% |
| | 2015 | 73% | 69% | 48% |
| | 2016 | 72% | 71% | 49% |
| | 2017 | 67% | 70% | 51% |
| | 2018 | 64% | 68% | 48% |
| | 2019 | 64% | 61% | 51% |
| | 2020 | 64% | 57% | 48% |
| | 2021 | 53% | 48% | 41% |
| Urgent | 2011 | 43% | 40% | 38% |
| | 2012 | 53% | 53% | 43% |
| | 2013 | 70% | 64% | 60% |
| | 2014 | 74% | 60% | 59% |
| | 2015 | 77% | 62% | 56% |
| | 2016 | 75% | 69% | 59% |
| | 2017 | 71% | 67% | 62% |
| | 2018 | 70% | 67% | 58% |
| | 2019 | 69% | 65% | 62% |
| | 2020 | 68% | 61% | 58% |
| | 2021 | 60% | 51% | 52% |
| Semi-Urgent | 2011 | 60% | 64% | 56% |
| | 2012 | 68% | 73% | 63% |
| | 2013 | 82% | 79% | 77% |
| | 2014 | 86% | 76% | 78% |
| | 2015 | 88% | 78% | 75% |
| | 2016 | 84% | 82% | 78% |
| | 2017 | 82% | 84% | 81% |
| | 2018 | 83% | 83% | 80% |
| | 2019 | 82% | 80% | 85% |
| | 2020 | 84% | 80% | 80% |
| | 2021 | 78% | 73% | 77% |
| Non-Urgent | 2011 | 88% | 87% | 80% |
| | 2012 | 89% | 93% | 90% |
| | 2013 | 94% | 94% | 95% |
| | 2014 | 96% | 93% | 94% |
| | 2015 | 96% | 94% | 92% |
| | 2016 | 94% | 94% | 96% |
| | 2017 | 93% | 97% | 94% |
| | 2018 | 94% | 95% | 94% |
| | 2019 | 96% | 96% | 96% |
| | 2020 | 94% | 96% | 89% |
| | 2021 | 96% | 96% | 94% |

1.2.2.15 Waiting times for emergency department care: time spent in the emergency department

Table 31 Time until most (90%) patients departed the emergency department by subsequent admission status and hospital within the Sydney Local Health District, 2011-2021. Source: AIHW MyHospitals API.

| Outcome | Year | Hospital | | |
|---------------------------|------|------------|----------------------|---------------------|
| | | Canterbury | Concord Repatriation | Royal Prince Alfred |
| All patients | 2011 | 8h 22m | 7h 51m | 8h 56m |
| | 2012 | 7h 37m | 6h 54m | 8h 35m |
| | 2013 | 5h 52m | 6h 5m | 7h 19m |
| | 2014 | 5h 24m | 6h 44m | 8h 17m |
| | 2015 | 5h 4m | 6h 14m | 8h 54m |
| | 2016 | 5h 20m | 5h 53m | 8h 58m |
| | 2017 | 5h 42m | 6h 33m | 9h 9m |
| | 2018 | 5h 56m | 6h 45m | 9h 53m |
| | 2019 | 6h 10m | 6h 58m | 8h 58m |
| | 2020 | 6h 12m | 7h 33m | 9h 28m |
| | 2021 | 7h 1m | 8h 57m | 9h 45m |
| Subsequently admitted | 2011 | 14h 25m | 10h 36m | 12h 10m |
| | 2012 | 12h 35m | 8h 50m | 11h 59m |
| | 2013 | 8h 15m | 8h 0m | 9h 59m |
| | 2014 | 7h 41m | 9h 33m | 13h 24m |
| | 2015 | 7h 43m | 8h 15m | 14h 7m |
| | 2016 | 7h 7m | 7h 39m | 13h 45m |
| | 2017 | 7h 55m | 8h 23m | 14h 40m |
| | 2018 | 8h 15m | 8h 22m | 16h 33m |
| | 2019 | 8h 50m | 9h 5m | 15h 43m |
| | 2020 | 8h 57m | 10h 29m | 14h 19m |
| | 2021 | 12h 30m | 11h 38m | 15h 28m |
| Not subsequently admitted | 2011 | 6h 52m | 5h 56m | 6h 57m |
| | 2012 | 6h 8m | 5h 15m | 6h 40m |
| | 2013 | 4h 49m | 4h 31m | 5h 18m |
| | 2014 | 4h 20m | 4h 38m | 5h 1m |
| | 2015 | 3h 59m | 4h 49m | 6h 6m |
| | 2016 | 4h 21m | 4h 42m | 6h 9m |
| | 2017 | 4h 36m | 4h 57m | 6h 1m |
| | 2018 | 4h 39m | 5h 12m | 6h 28m |
| | 2019 | 4h 47m | 5h 7m | 6h 2m |
| | 2020 | 5h 0m | 5h 8m | 6h 50m |
| | 2021 | 5h 35m | 6h 14m | 7h 10m |

1.2.3 Efficiency & sustainability

1.2.3.1 Cost per weighted separation & total case weighted separations

Table 32 Average cost per weighted hospital separation (in national weighted average units) by sex and Statistical Area 2, 2016-2018 and 2019-2021. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | Males | | Females | |
|-----------------------------------|-----------|-----------|-----------|-----------|
| | 2016-2018 | 2019-2021 | 2016-2018 | 2019-2021 |
| Ashfield | 1.27 | 1.32 | 1.23 | 1.17 |
| Balmain | 1.21 | 1.18 | 1.02 | 1.20 |
| Belmore - Belfield | 0.95 | 0.94 | 1.02 | 0.97 |
| Burwood - Croydon | 1.03 | 1.04 | 1.06 | 1.20 |
| Canterbury (North) - Ashbury | 1.14 | 1.41 | 1.28 | 1.28 |
| Canterbury (South) - Campsie | 1.06 | 1.06 | 1.12 | 1.17 |
| Concord - Mortlake - Cabarita | 1.02 | 1.11 | 1.11 | 1.22 |
| Concord West - North Strathfield | 1.12 | 1.01 | 0.93 | 0.95 |
| Croydon Park - Enfield | 1.18 | 1.09 | 1.16 | 1.15 |
| Drummoyne - Rodd Point | 1.20 | 1.31 | 1.33 | 1.30 |
| Dulwich Hill - Lewisham | 1.13 | 0.95 | 1.09 | 1.07 |
| Erskineville - Alexandria | 1.22 | 1.01 | 0.96 | 0.98 |
| Five Dock - Abbotsford | 1.24 | 1.11 | 0.97 | 1.06 |
| Glebe - Forest Lodge | 1.31 | 1.25 | 0.97 | 0.98 |
| Haberfield - Summer Hill | 1.47 | 1.45 | 1.03 | 0.92 |
| Homebush | 1.21 | 1.10 | 1.07 | 0.89 |
| Kingsgrove (North) - Earlwood | 1.00 | 0.99 | 1.03 | 0.87 |
| Lakemba | 1.01 | 1.12 | 1.14 | 1.16 |
| Leichhardt - Annandale | 1.19 | 1.22 | 1.17 | 1.13 |
| Lilyfield - Rozelle | 1.49 | 1.34 | 1.16 | 1.15 |
| Marrickville | 1.16 | 0.92 | 1.13 | 1.20 |
| Newtown - Camperdown - Darlington | 1.05 | 1.27 | 0.86 | 0.92 |
| Petersham - Stanmore | 1.04 | 1.13 | 1.14 | 1.25 |
| Punchbowl | 0.91 | 1.05 | 1.04 | 1.14 |
| Pymont - Ultimo | 0.96 | 0.89 | 1.03 | 1.08 |
| Redfern - Chippendale | 1.15 | 1.24 | 1.02 | 1.05 |
| Riverwood | 1.13 | 1.42 | 1.16 | 1.03 |
| Roselands | 1.01 | 1.26 | 1.12 | 1.16 |
| Strathfield | 1.33 | 1.21 | 1.17 | 1.15 |
| Strathfield South | 1.15 | 0.82 | 1.31 | 1.31 |
| Sydenham - Tempe - St Peters | 1.12 | 1.24 | 1.04 | 0.79 |
| Waterloo - Beaconsfield | 1.27 | 1.23 | 1.02 | 0.97 |
| Wiley Park | 0.90 | 0.92 | 1.09 | 1.10 |

1.2.3.2 Net growth in health workforce

Table 33 Net growth in health workforce by year and Statistical Area 3. Source: Australian Government (2022) Health Workforce Data.

| Statistical Area 3 | Year | Allied Health | Dental Practitioners | Medical Practitioners | Nurses and Midwives |
|-------------------------------------|------|---------------|----------------------|-----------------------|---------------------|
| Canada Bay | 2013 | 558.6 | 79.1 | 682.0 | 1,677.0 |
| | 2014 | 591.6 | 77.7 | 683.2 | 1,722.6 |
| | 2015 | 584.7 | 73.9 | 698.5 | 1,643.8 |
| | 2016 | 608.4 | 78.0 | 686.4 | 1,751.8 |
| | 2017 | 623.1 | 76.6 | 716.4 | 1,731.5 |
| | 2018 | 670.5 | 73.4 | 721.7 | 1,784.8 |
| | 2019 | 739.7 | 84.7 | 726.3 | 1,798.0 |
| | 2020 | 765.0 | 74.1 | 783.0 | 1,805.2 |
| | 2021 | 837.5 | 88.3 | 828.3 | 1,836.7 |
| Canterbury | 2013 | 267.7 | 58.7 | 195.8 | 507.5 |
| | 2014 | 286.3 | 62.9 | 193.0 | 506.8 |
| | 2015 | 306.2 | 57.8 | 196.3 | 516.1 |
| | 2016 | 310.3 | 58.5 | 207.4 | 545.2 |
| | 2017 | 325.2 | 57.2 | 206.6 | 558.4 |
| | 2018 | 330.6 | 60.4 | 224.3 | 561.8 |
| | 2019 | 358.7 | 64.3 | 219.1 | 570.9 |
| | 2020 | 375.1 | 67.3 | 225.3 | 628.2 |
| | 2021 | 405.2 | 68.5 | 239.3 | 658.6 |
| Leichhardt | 2013 | 651.6 | 82.5 | 307.4 | 467.2 |
| | 2014 | 664.9 | 85.1 | 300.3 | 402.7 |
| | 2015 | 728.2 | 87.6 | 307.4 | 448.3 |
| | 2016 | 675.9 | 91.7 | 297.2 | 436.4 |
| | 2017 | 670.0 | 94.7 | 285.9 | 421.3 |
| | 2018 | 686.7 | 104.9 | 307.8 | 453.3 |
| | 2019 | 705.7 | 100.1 | 312.1 | 469.9 |
| | 2020 | 866.2 | 99.3 | 344.1 | 470.8 |
| | 2021 | 884.5 | 100.6 | 342.5 | 529.6 |
| Marrickville - Sydenham - Petersham | 2013 | 390.6 | 67.2 | 163.5 | 352.5 |
| | 2014 | 375.9 | 75.2 | 136.0 | 315.0 |
| | 2015 | 425.3 | 60.0 | 146.5 | 254.1 |
| | 2016 | 408.4 | 62.6 | 152.9 | 278.0 |
| | 2017 | 431.5 | 69.3 | 152.5 | 265.1 |
| | 2018 | 453.8 | 65.8 | 149.0 | 275.4 |
| | 2019 | 492.1 | 66.3 | 136.1 | 244.3 |
| | 2020 | 547.0 | 68.8 | 130.6 | 280.6 |
| | 2021 | 631.6 | 78.0 | 134.3 | 270.4 |
| Strathfield - Burwood - Ashfield | 2013 | 474.8 | 109.1 | 264.0 | 646.4 |
| | 2014 | 496.5 | 99.6 | 260.3 | 643.6 |
| | 2015 | 479.1 | 115.3 | 258.8 | 644.3 |
| | 2016 | 455.6 | 114.4 | 252.0 | 590.1 |
| | 2017 | 460.1 | 107.6 | 259.7 | 586.2 |
| | 2018 | 432.5 | 110.7 | 252.0 | 593.4 |
| | 2019 | 464.3 | 111.4 | 256.1 | 609.0 |
| | 2020 | 511.3 | 111.3 | 254.1 | 620.2 |
| | 2021 | 531.1 | 110.8 | 267.7 | 657.9 |
| Sydney Inner City | 2013 | 1,465.5 | 262.7 | 1,290.0 | 2,734.7 |
| | 2014 | 1,445.8 | 268.4 | 1,272.6 | 2,637.0 |
| | 2015 | 1,444.6 | 252.4 | 1,268.1 | 2,644.0 |
| | 2016 | 1,460.9 | 249.5 | 1,225.0 | 2,605.9 |
| | 2017 | 1,481.9 | 237.5 | 1,233.3 | 2,595.7 |
| | 2018 | 1,499.7 | 244.0 | 1,267.5 | 2,601.6 |
| | 2019 | 1,567.8 | 243.7 | 1,318.2 | 2,718.9 |
| | 2020 | 1,455.4 | 239.5 | 1,336.9 | 2,681.1 |
| | 2021 | 1,519.9 | 240.1 | 1,410.4 | 2,972.8 |

1.3 Health Status

1.3.1 Health Conditions

1.3.1.1 Incidence of heart attacks (acute coronary events)

Table 34 Incidence of acute coronary events by index hospital admission per 100,000 population by sex and Statistical Area 3, 2019-2021 and 2016-2018. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Statistical Area 3 | Males | | Females | |
|-------------------------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | 2016-2018 | 2019-2021 | 2016-2018 | 2019-2021 |
| Canada Bay | 224.0 [194.6 - 256.6] | 119.2 [98.6 - 142.8] | 76.0 [61.4 - 93.0] | 48.3 [36.9 - 62.0] |
| Canterbury | 319.9 [290.9 - 351.0] | 207.3 [184.4 - 232.1] | 119.1 [102.8 - 137.3] | 76.1 [63.4 - 90.6] |
| Leichhardt | 212.4 [174.3 - 256.3] | 131.0 [103.5 - 163.6] | 100.1 [76.3 - 128.9] | 58.7 [42.4 - 79.2] |
| Marrickville - Sydenham - Petersham | 233.0 [193.7 - 278.1] | 137.0 [108.4 - 170.9] | 118.6 [92.4 - 149.9] | 64.0 [45.7 - 87.2] |
| Strathfield - Burwood - Ashfield | 232.4 [208.6 - 258.2] | 152.1 [133.5 - 172.5] | 109.9 [95.4 - 125.9] | 74.3 [62.6 - 87.4] |
| Sydney Inner City | 207.3 [185.6 - 230.9] | 123.2 [107.5 - 140.6] | 88.1 [73.9 - 104.1] | 55.9 [45.4 - 68.1] |

1.3.1.2 Incidence of selected cancers

Table 35 Age standardised incidence of cancer by Local Government Area and cancer type, 2017-2018 and 2019-2020
Source: AIHW (2020) Incidence of selected cancers.

| Type | Local Government Area | 2017-2018 | 2019-2020 |
|----------------------------------|-----------------------|-----------------------|-----------------------|
| Breast (Females) | Burwood | 130.7 [96.8 - 172.2] | 148.8 [112.0 - 193.7] |
| | Canada Bay | 125.9 [105.5 - 149.2] | 121.2 [101.4 - 143.7] |
| | Canterbury-Bankstown | 127.7 [116.6 - 139.6] | 118.9 [108.3 - 130.3] |
| | Inner West | 138.0 [122.4 - 155.1] | 128.3 [113.5 - 144.4] |
| | Strathfield | 127.1 [94.9 - 166.6] | 87.8 [61.4 - 121.5] |
| | Sydney | 123.8 [107.3 - 142.0] | 121.5 [105.6 - 139.1] |
| Lung (Persons) | Burwood | 34.9 [23.0 - 50.5] | 35.7 [24.1 - 50.8] |
| | Canada Bay | 32.3 [25.1 - 40.9] | 37.6 [29.9 - 46.7] |
| | Canterbury-Bankstown | 48.1 [43.3 - 53.2] | 45.6 [41.1 - 50.5] |
| | Inner West | 41.5 [35.3 - 48.4] | 39.2 [33.4 - 45.8] |
| | Strathfield | 18.5 [10.3 - 30.7] | 26.8 [17.0 - 40.1] |
| | Sydney | 48.0 [40.6 - 56.4] | 44.3 [37.6 - 51.8] |
| Melanoma of skin (Persons) | Burwood | 26.8 [16.2 - 41.4] | 20.3 [11.7 - 32.4] |
| | Canada Bay | 41.6 [33.2 - 51.4] | 41.7 [33.5 - 51.4] |
| | Canterbury-Bankstown | 21.8 [18.7 - 25.4] | 25.9 [22.5 - 29.7] |
| | Inner West | 46.8 [40.3 - 54.2] | 35.7 [30.2 - 42.0] |
| | Strathfield | 23.9 [14.4 - 37.2] | 15.5 [8.5 - 25.9] |
| | Sydney | 40.4 [33.9 - 47.6] | 39.8 [33.6 - 46.7] |
| Prostate (Males) | Burwood | 114.2 [82.3 - 154.2] | 145.7 [110.2 - 188.9] |
| | Canada Bay | 155.3 [131.5 - 182.2] | 142.5 [120.3 - 167.6] |
| | Canterbury-Bankstown | 119.6 [108.8 - 131.1] | 119.9 [109.4 - 131.2] |
| | Inner West | 154.1 [136.5 - 173.2] | 138.5 [122.2 - 156.3] |
| | Strathfield | 121.9 [88.6 - 163.4] | 107.7 [78.4 - 144.4] |
| | Sydney | 149.3 [131.2 - 169.1] | 144.8 [127.8 - 163.5] |

1.3.1.3 Incidence of sexually transmissible infections & blood borne viruses

1.3.1.3.1 Males

Table 36 Incidence of sexually transmissible infections and blood borne viruses per 100,000 population among males by Statistical Area 2, 2017-2019 and 2020-2022. Source: Notifiable Conditions Records for Epidemiology and Surveillance, NSW Ministry of Health.

| Statistical Area 2 | Males | | Females | |
|-----------------------------------|--------------------------|--------------------------|-----------------------|-----------------------|
| | 2017-2019 | 2020-2022 | 2017-2019 | 2020-2022 |
| Ashfield | 935.3 [846.1 - 1031.2] | 900.2 [813.8 - 993.3] | 477.2 [411.5 - 550.5] | 317.2 [261.7 - 381.0] |
| Balmain | 895.4 [773.4 - 1031.3] | 757.7 [645.5 - 883.8] | 539.2 [441.2 - 652.4] | 340.6 [260.0 - 438.3] |
| Belmore - Belfield | 780.5 [683.7 - 887.2] | 732.0 [637.1 - 837.1] | 451.4 [376.3 - 537.1] | 352.2 [286.5 - 428.5] |
| Burwood - Croydon | 877.5 [788.2 - 974.1] | 791.5 [707.2 - 883.1] | 588.0 [517.8 - 665.2] | 498.5 [433.9 - 569.9] |
| Canterbury (North) - Ashbury | 1254.4 [1096.2 - 1429.0] | 811.3 [687.0 - 951.6] | 485.0 [387.4 - 599.7] | 453.2 [355.2 - 569.8] |
| Canterbury (South) - Campsie | 802.2 [728.7 - 881.2] | 731.9 [661.6 - 807.6] | 602.2 [536.8 - 673.2] | 526.2 [464.5 - 593.7] |
| Concord - Mortlake - Cabarita | 625.1 [541.3 - 718.1] | 570.5 [490.7 - 659.5] | 400.6 [333.7 - 477.0] | 271.5 [217.6 - 334.8] |
| Concord West - North Strathfield | 553.9 [486.9 - 627.6] | 452.8 [391.8 - 520.5] | 484.9 [422.2 - 554.2] | 303.4 [253.8 - 359.8] |
| Croydon Park - Enfield | 610.7 [520.5 - 712.0] | 608.6 [519.3 - 708.9] | 384.4 [313.6 - 466.3] | 266.9 [208.0 - 337.4] |
| Drummoyne - Rodd Point | 813.3 [707.1 - 930.9] | 648.6 [554.3 - 754.3] | 414.7 [338.3 - 503.2] | 308.5 [243.6 - 385.4] |
| Dulwich Hill - Lewisham | 1408.0 [1276.4 - 1549.6] | 1242.3 [1121.3 - 1372.8] | 441.2 [360.5 - 534.6] | 406.4 [329.5 - 495.9] |
| Erskineville - Alexandria | 3564.4 [3357.3 - 3781.0] | 3239.3 [3053.5 - 3433.4] | 514.4 [429.1 - 611.6] | 476.8 [386.8 - 581.5] |
| Five Dock - Abbotsford | 752.3 [655.3 - 859.6] | 606.3 [521.5 - 701.1] | 382.5 [311.5 - 464.7] | 252.7 [196.4 - 320.3] |
| Glebe - Forest Lodge | 1877.6 [1734.1 - 2029.8] | 1668.9 [1535.0 - 1811.4] | 625.1 [550.4 - 707.0] | 478.5 [411.9 - 553.0] |
| Haberfield - Summer Hill | 1031.7 [901.8 - 1175.1] | 747.7 [638.2 - 870.7] | 551.6 [449.9 - 669.4] | 402.0 [318.0 - 501.3] |
| Homebush | 641.7 [557.9 - 734.5] | 480.4 [406.6 - 563.7] | 426.7 [353.0 - 511.3] | 355.8 [288.0 - 434.7] |
| Kingsgrove (North) - Earlwood | 864.8 [768.6 - 969.7] | 579.8 [502.1 - 666.1] | 440.1 [371.1 - 518.1] | 332.8 [274.1 - 400.5] |
| Lakemba | 416.5 [346.7 - 496.3] | 383.8 [314.6 - 463.9] | 276.9 [211.2 - 356.4] | 294.2 [225.6 - 377.1] |
| Leichhardt - Annandale | 1283.6 [1178.6 - 1395.4] | 1026.6 [933.6 - 1126.2] | 501.3 [432.9 - 577.3] | 469.4 [397.5 - 550.7] |
| Lilyfield - Rozelle | 1132.0 [990.3 - 1288.4] | 815.0 [695.8 - 948.7] | 618.6 [508.3 - 745.7] | 516.4 [411.3 - 640.2] |
| Marrickville | 1615.3 [1501.7 - 1735.2] | 1365.1 [1261.3 - 1475.2] | 543.8 [471.3 - 624.2] | 396.9 [335.8 - 465.8] |
| Newtown - Camperdown - Darlington | 2766.6 [2615.4 - 2924.2] | 2346.5 [2211.7 - 2487.4] | 651.9 [586.1 - 723.0] | 404.0 [349.6 - 464.4] |
| Petersham - Stanmore | 1961.1 [1824.9 - 2104.8] | 1387.2 [1271.9 - 1510.1] | 550.4 [474.7 - 634.7] | 394.6 [326.8 - 472.4] |
| Punchbowl | 520.7 [447.2 - 602.9] | 494.5 [423.4 - 574.1] | 313.1 [256.5 - 378.4] | 330.0 [270.2 - 399.0] |
| Pymont - Ultimo | 2034.5 [1891.4 - 2185.5] | 1667.5 [1539.6 - 1803.3] | 627.3 [554.8 - 706.6] | 518.2 [444.6 - 600.6] |
| Redfern - Chippendale | 4212.2 [4015.8 - 4415.6] | 3110.9 [2945.8 - 3282.9] | 810.2 [719.5 - 909.1] | 601.3 [521.9 - 689.4] |
| Riverwood | 764.0 [641.2 - 903.5] | 546.5 [447.0 - 661.5] | 485.9 [389.6 - 598.7] | 386.4 [301.1 - 488.3] |
| Roselands | 586.6 [487.3 - 700.2] | 455.1 [369.3 - 555.0] | 299.4 [229.3 - 384.1] | 217.5 [159.0 - 290.4] |
| Strathfield | 554.7 [485.2 - 631.4] | 444.6 [383.5 - 512.7] | 367.5 [313.6 - 428.0] | 308.2 [260.1 - 362.5] |
| Strathfield South | 810.7 [602.2 - 1068.1] | 756.2 [553.0 - 1009.8] | 389.9 [248.9 - 581.8] | 141.3 [64.3 - 269.2] |
| Sydenham - Tempe - St Peters | 2419.5 [2175.8 - 2683.1] | 2176.3 [1950.5 - 2421.0] | 742.1 [601.9 - 905.2] | 448.8 [341.5 - 579.0] |
| Waterloo - Beaconsfield | 3480.0 [3331.3 - 3633.7] | 2933.6 [2805.1 - 3066.6] | 656.4 [594.6 - 722.8] | 608.4 [549.7 - 671.7] |
| Wiley Park | 466.8 [372.0 - 578.3] | 419.8 [330.8 - 525.4] | 249.7 [174.9 - 345.7] | 278.4 [199.3 - 378.4] |

1.3.1.4 Incidence of end-stage kidney disease

No data to display

1.3.1.5 Hospitalisation for injury & poisoning

1.3.1.5.1 Males

Table 37 Age-standardised rate for hospitalisation for injury & poisoning (per 100,000) by sex and Statistical Area 2, 2016-2018 and 2019-2021. Source: Admitted Patient, Emergency Department Attendance and Deaths Register, NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | Females | | Males | |
|-----------------------------------|--------------------------|------------------------|--------------------------|-------------------------|
| | 2016-2018 | 2019-2021 | 2016-2018 | 2019-2021 |
| Ashfield | 764.1 [673.8 - 863.3] | 600.5 [518.7 - 691.5] | 901.9 [803.3 - 1009.2] | 819.4 [722.7 - 925.5] |
| Balmain | 1063.4 [938.4 - 1200.5] | 720.2 [618.4 - 834.1] | 1361.8 [1207.9 - 1530.0] | 1054.3 [922.5 - 1199.6] |
| Belmore - Belfield | 765.2 [671.4 - 868.5] | 582.2 [501.1 - 672.7] | 1226.5 [1105.7 - 1357.0] | 856.8 [756.5 - 966.6] |
| Burwood - Croydon | 612.9 [534.8 - 699.0] | 538.0 [464.2 - 620.2] | 912.1 [812.5 - 1020.6] | 738.2 [646.4 - 839.4] |
| Canterbury (North) - Ashbury | 987.4 [843.8 - 1148.4] | 528.5 [428.6 - 644.7] | 1242.5 [1080.8 - 1421.6] | 840.2 [709.2 - 988.5] |
| Canterbury (South) - Campsie | 741.1 [664.9 - 823.6] | 452.0 [392.7 - 517.6] | 968.4 [880.9 - 1062.2] | 725.6 [650.1 - 807.5] |
| Concord - Mortlake - Cabarita | 797.3 [708.0 - 894.7] | 676.5 [595.2 - 765.9] | 1204.9 [1089.0 - 1329.7] | 970.5 [865.2 - 1085.1] |
| Concord West - North Strathfield | 594.7 [512.2 - 686.8] | 560.0 [481.1 - 648.2] | 955.9 [849.0 - 1072.6] | 714.2 [622.4 - 815.8] |
| Croydon Park - Enfield | 755.5 [658.5 - 862.7] | 656.0 [562.4 - 760.8] | 1137.4 [1010.9 - 1275.4] | 904.9 [791.3 - 1030.3] |
| Drummoyne - Rodd Point | 837.7 [738.0 - 947.1] | 761.4 [663.5 - 869.7] | 1254.4 [1121.0 - 1399.3] | 870.1 [759.7 - 992.0] |
| Dulwich Hill - Lewisham | 969.6 [852.6 - 1098.1] | 681.5 [585.5 - 788.7] | 1316.1 [1178.2 - 1465.6] | 925.5 [809.2 - 1053.7] |
| Erskineville - Alexandria | 1041.3 [891.3 - 1209.3] | 886.4 [753.2 - 1036.3] | 1280.7 [1114.2 - 1465.0] | 1022.8 [882.7 - 1178.8] |
| Five Dock - Abbotsford | 790.6 [697.7 - 892.4] | 717.8 [627.9 - 816.9] | 1214.5 [1090.1 - 1349.2] | 877.2 [772.0 - 992.9] |
| Glebe - Forest Lodge | 965.8 [849.6 - 1093.4] | 705.1 [603.8 - 818.6] | 1232.9 [1098.1 - 1379.8] | 963.9 [841.9 - 1098.6] |
| Haberfield - Summer Hill | 840.4 [719.9 - 975.1] | 668.1 [565.0 - 784.6] | 1196.8 [1050.5 - 1357.7] | 876.5 [750.1 - 1018.0] |
| Homebush | 1207.2 [1052.5 - 1378.3] | 675.5 [566.8 - 799.1] | 1482.1 [1313.6 - 1666.1] | 849.2 [732.1 - 979.7] |
| Kingsgrove (North) - Earlwood | 714.4 [634.3 - 801.9] | 596.0 [520.1 - 679.9] | 1298.0 [1182.6 - 1421.7] | 926.6 [829.1 - 1032.3] |
| Lakemba | 560.9 [469.3 - 665.2] | 561.2 [467.2 - 668.6] | 887.2 [775.8 - 1010.1] | 829.7 [721.9 - 949.1] |
| Leichhardt - Annandale | 987.4 [890.1 - 1092.5] | 884.5 [795.6 - 980.7] | 1207.0 [1097.5 - 1324.6] | 1060.9 [959.6 - 1170.1] |
| Lilyfield - Rozelle | 881.1 [759.3 - 1017.0] | 726.4 [617.1 - 849.4] | 1324.0 [1162.0 - 1502.3] | 1072.2 [931.0 - 1228.8] |
| Marrickville | 944.0 [848.8 - 1047.1] | 755.1 [669.4 - 848.7] | 1226.1 [1116.8 - 1343.3] | 947.0 [852.5 - 1049.0] |
| Newtown - Camperdown - Darlington | 1000.2 [880.1 - 1132.1] | 739.1 [641.1 - 847.9] | 1266.4 [1127.5 - 1417.7] | 854.0 [746.1 - 973.2] |
| Petersham - Stanmore | 820.1 [718.2 - 932.3] | 785.1 [683.6 - 897.4] | 1193.6 [1067.4 - 1330.7] | 898.2 [791.2 - 1015.6] |
| Punchbowl | 788.3 [694.4 - 891.3] | 589.7 [508.8 - 679.9] | 1303.3 [1183.2 - 1432.4] | 1067.3 [959.5 - 1183.8] |
| Pymont - Ultimo | 693.8 [589.6 - 811.2] | 423.6 [346.7 - 512.4] | 828.4 [711.1 - 959.6] | 665.8 [560.0 - 785.6] |
| Redfern - Chippendale | 921.5 [788.7 - 1070.1] | 710.3 [607.4 - 825.6] | 1164.5 [1029.7 - 1312.2] | 918.3 [799.3 - 1050.1] |
| Riverwood | 833.6 [706.0 - 977.5] | 519.8 [423.2 - 631.8] | 1216.5 [1056.0 - 1394.5] | 900.0 [764.1 - 1053.0] |
| Roselands | 895.7 [776.5 - 1028.0] | 652.8 [552.0 - 766.8] | 1141.3 [1003.0 - 1293.4] | 982.8 [855.7 - 1123.4] |
| Strathfield | 598.1 [521.1 - 683.3] | 499.8 [426.8 - 581.8] | 808.5 [716.0 - 909.6] | 733.3 [641.3 - 834.8] |
| Strathfield South | 693.0 [497.9 - 939.1] | 540.3 [368.3 - 765.0] | 1037.9 [789.0 - 1340.4] | 861.8 [633.6 - 1145.4] |
| Sydenham - Tempe - St Peters | 973.3 [797.1 - 1176.8] | 835.7 [674.4 - 1023.9] | 1390.2 [1180.4 - 1626.5] | 1105.3 [921.4 - 1315.3] |
| Waterloo - Beaconsfield | 863.6 [765.6 - 970.7] | 587.1 [514.5 - 667.0] | 1018.2 [921.8 - 1122.0] | 875.7 [788.8 - 969.6] |
| Wiley Park | 810.5 [661.9 - 982.6] | 498.9 [388.8 - 630.5] | 1088.8 [927.4 - 1270.1] | 765.8 [634.6 - 916.0] |

1.3.1.6 Proportion of babies born with low birthweight

Table 38 Proportion of babies born with low birth-weight by Statistical Area 2, 2016-2018 and 2019-2021. Source: Perinatal Data Collection, NSW Ministry of Health SAPHaRI.

| Statistical Area 2 | Number | | Births | | Proportion | |
|-----------------------------------|-----------|-----------|-----------|-----------|------------|-----------|
| | 2018-2019 | 2020-2021 | 2018-2019 | 2020-2021 | 2018-2019 | 2020-2021 |
| Ashfield | 23 | 19 | 496 | 436 | 4.6% | 4.4% |
| Balmain | 13 | 12 | 375 | 386 | 3.5% | 3.1% |
| Belmore - Belfield | 14 | 17 | 481 | 472 | 2.9% | 3.6% |
| Burwood - Croydon | 10 | 23 | 361 | 395 | 2.8% | 5.8% |
| Canterbury (North) - Ashbury | 5 | 13 | 220 | 246 | 2.3% | 5.3% |
| Canterbury (South) - Campsie | 36 | 27 | 648 | 647 | 5.6% | 4.2% |
| Concord - Mortlake - Cabarita | 17 | 14 | 402 | 452 | 4.2% | 3.1% |
| Concord West - North Strathfield | 42 | 32 | 633 | 593 | 6.6% | 5.4% |
| Croydon Park - Enfield | 17 | 16 | 336 | 367 | 5.1% | 4.4% |
| Drummoyne - Rodd Point | 13 | 8 | 415 | 427 | 3.1% | 1.9% |
| Dulwich Hill - Lewisham | 19 | 16 | 423 | 421 | 4.5% | 3.8% |
| Erskineville - Alexandria | 27 | 20 | 489 | 513 | 5.5% | 3.9% |
| Five Dock - Abbotsford | 24 | 22 | 542 | 521 | 4.4% | 4.2% |
| Glebe - Forest Lodge | 11 | 18 | 341 | 441 | 3.2% | 4.1% |
| Haberfield - Summer Hill | 14 | <5 | 218 | 252 | 6.4% | 1.6% |
| Homebush | 18 | 29 | 432 | 551 | 4.2% | 5.3% |
| Kingsgrove (North) - Earlwood | 11 | 10 | 448 | 453 | 2.5% | 2.2% |
| Lakemba | 36 | 36 | 657 | 558 | 5.5% | 6.5% |
| Leichhardt - Annandale | 26 | 30 | 765 | 686 | 3.4% | 4.4% |
| Lilyfield - Rozelle | 10 | 17 | 394 | 379 | 2.5% | 4.5% |
| Marrickville | 22 | 17 | 578 | 562 | 3.8% | 3.0% |
| Newtown - Camperdown - Darlington | 13 | 15 | 385 | 387 | 3.4% | 3.9% |
| Petersham - Stanmore | 26 | 17 | 401 | 384 | 6.5% | 4.4% |
| Punchbowl | 31 | 18 | 621 | 532 | 5.0% | 3.4% |
| Pyrmont - Ultimo | 25 | 14 | 340 | 374 | 7.4% | 3.7% |
| Redfern - Chippendale | 18 | 8 | 324 | 341 | 5.6% | 2.3% |
| Riverwood | 12 | 8 | 208 | 255 | 5.8% | 3.1% |
| Roselands | 16 | 17 | 348 | 332 | 4.6% | 5.1% |
| Strathfield | 24 | 11 | 366 | 335 | 6.6% | 3.3% |
| Strathfield South | 6 | <5 | 76 | 62 | 7.9% | 6.5% |
| Sydenham - Tempe - St Peters | 9 | 8 | 206 | 222 | 4.4% | 3.6% |
| Waterloo - Beaconsfield | 38 | 52 | 781 | 1,119 | 4.9% | 4.6% |
| Wiley Park | 31 | 22 | 408 | 345 | 7.6% | 6.4% |

1.3.1.7 Prevalence of type 2 diabetes

Table 39 Proportion of population registered with Type 2 diabetes, registered the National Diabetes Services Scheme born by postal area, 2022. Source: NDSS (2022) Map of NDSS registrants.

| Postcode | Suburb (from postcode) | Type 2 diabetes registration rate |
|----------|------------------------|-----------------------------------|
| 2000 | Sydney | 1.6% |
| 2007 | Ultimo | 0.9% |
| 2008 | Chippendale | 0.7% |
| 2009 | Pyrmont | 1.8% |
| 2010 | Surry Hills | 1.8% |
| 2015 | Alexandria | 1.5% |
| 2016 | Redfern | 3.2% |
| 2017 | Waterloo | 2.2% |
| 2018 | Rosebery | 4.3% |
| 2020 | Mascot | 3.6% |
| 2021 | Paddington | 1.2% |
| 2033 | Kensington | 2.4% |
| 2037 | Glebe | 2.4% |
| 2038 | Annandale | 1.7% |
| 2039 | Rozelle | 1.8% |
| 2040 | Leichhardt | 2.5% |
| 2041 | Balmain | 1.7% |
| 2042 | Newtown | 1.5% |
| 2043 | Erskineville | 1.5% |
| 2044 | Tempe | 3.2% |
| 2045 | Haberfield | 4.8% |
| 2046 | Five Dock | 3.7% |
| 2047 | Drummoyne | 2.5% |
| 2048 | Stanmore | 2.3% |
| 2049 | Petersham | 3.0% |
| 2050 | Camperdown | 1.4% |
| 2110 | Hunters Hill | 2.7% |
| 2127 | Wentworth Point | 2.9% |
| 2130 | Summer Hill | 3.0% |
| 2131 | Ashfield | 3.9% |
| 2132 | Croydon | 4.5% |
| 2133 | Croydon Park | 5.1% |
| 2134 | Burwood | 3.5% |
| 2135 | Strathfield | 3.8% |
| 2136 | Strathfield South | 5.5% |
| 2137 | Concord | 3.8% |
| 2138 | Rhodes | 2.4% |
| 2140 | Homebush West | 3.7% |
| 2141 | Lidcombe | 5.5% |
| 2190 | Greenacre | 7.0% |
| 2191 | Belfield | 6.2% |
| 2192 | Belmore | 6.7% |
| 2193 | Canterbury | 4.7% |
| 2194 | Campsie | 5.5% |
| 2195 | Lakemba | 6.5% |
| 2196 | Punchbowl | 6.8% |
| 2200 | Bankstown | 6.0% |
| 2203 | Dulwich Hill | 3.9% |
| 2204 | Marrickville | 4.2% |
| 2205 | Arncliffe | 3.8% |
| 2206 | Earlwood | 5.4% |
| 2207 | Bexley | 5.0% |
| 2208 | Kingsgrove | 5.2% |
| 2209 | Beverly Hills | 5.3% |
| 2210 | Riverwood | 5.2% |
| 2211 | Padstow | 4.9% |

1.3.1.8 Notifications of selected childhood diseases

Table 40 Crude notification rate (per 100,000 children aged 14 and under) of selected vaccine-preventable childhood diseases (measles, pertussis and *Haemophilus influenzae* type b), by Local Health District and year. Source: Notifiable Conditions Records for Epidemiology and Surveillance, NSW Ministry of Health.

| Year | Local Health District | | | | |
|------|-----------------------|----------------------|----------------------|----------|----------------|
| | Northern Sydney | South Eastern Sydney | South Western Sydney | Sydney | Western Sydney |
| 2011 | 754.2 | 692.7 | 490.0 | 437.0 | 601.4 |
| 2012 | 271.0 | 221.5 | 198.9 | 158.7 | 294.8 |
| 2013 | 123.3 | 116.0 | 63.0 | 51.6 | 63.0 |
| 2014 | 172.4 | 151.5 | 39.5 | 82.2 | 142.3 |
| 2015 | 1,009.5 | 458.8 | 322.0 | 648.4 | 515.6 |
| 2016 | 490.7 | 357.9 | 475.1 | 324.7 | 367.5 |
| 2017 | 173.4 | 169.5 | 149.6 | 139.7 | 162.7 |
| 2018 | 422.7 | 255.4 | 134.4 | 441.8 | 139.6 |
| 2019 | 310.8 | 308.9 | 174.4 | 204.3 | 234.6 |
| 2020 | 54.5 | 72.2 | 31.3 | 33.1 | 38.9 |
| 2021 | no cases | 1.4 | 0.9 | 1.1 | 1.4 |
| 2022 | no cases | no cases | no cases | no cases | no cases |

1.3.2 Human Function

1.3.2.1 Severe or profound core activity limitation

Table 41 Proportion of population with self-reported core activity limitation by Statistical Area 2, 2016 and 2021. Source: ABS (2021) Core activity need for assistance (ASSNP).

| Statistical Area 2 | Core Limitation | |
|-------------------------------|-----------------|------|
| | 2016 | 2021 |
| Balmain | 2.4% | 3.2% |
| Belmore - Belfield | 7.4% | 7.1% |
| Canterbury (North) - Ashbury | 4.5% | 5.0% |
| Concord - Mortlake - Cabarita | 4.8% | 5.3% |
| Croydon Park - Enfield | 5.8% | 6.2% |
| Drummoyne - Rodd Point | 4.5% | 4.3% |
| Dulwich Hill - Lewisham | 4.5% | 4.8% |
| Erskineville - Alexandria | 1.6% | 1.8% |
| Five Dock - Abbotsford | 5.5% | 5.0% |
| Glebe - Forest Lodge | 3.4% | 4.2% |
| Haberfield - Summer Hill | 5.9% | 6.3% |
| Homebush | 2.4% | 2.4% |
| Lakemba | 5.6% | 5.4% |
| Lilyfield - Rozelle | 3.6% | 3.8% |
| Petersham - Stanmore | 3.3% | 3.7% |
| Punchbowl | 7.0% | 7.8% |
| Riverwood | 7.7% | 8.5% |
| Roselands | 6.0% | 6.8% |
| Strathfield South | 3.9% | 5.0% |
| Sydenham - Tempe - St Peters | 4.2% | 4.3% |
| Wiley Park | 5.1% | 5.8% |

1.3.3 Wellbeing

1.3.3.1 Proportion of adults with psychological distress

Table 42 Modelled proportion of adults aged 15 and over with self-reported high or very high psychological distress by Public Health Area, 2021. Source: PHIDU (2022) Estimated male, female or total population, aged 18 years and over, with high or very high psychological distress based on the Kessler 10 Scale (K10), 2017-18.

| Public Health Area | High/Very high psychological distress | |
|---|---------------------------------------|--------------------|
| | 2018 | 2021 |
| | Persons | Persons |
| Ashfield | 10.1 [7.1 - 13.2] | 10.9 [7.4 - 14.4] |
| Balmain/ Lilyfield - Rozelle | 7.7 [5.3 - 10.1] | 8.5 [6.3 - 10.6] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 12.0 [8.5 - 15.6] | 12.7 [9.8 - 15.7] |
| Burwood - Croydon | 9.4 [6.6 - 12.2] | 11.8 [8.0 - 15.6] |
| Canada Bay - East | 8.4 [5.8 - 11.1] | 8.6 [6.5 - 10.7] |
| Canada Bay - West | 8.7 [6.0 - 11.3] | 8.8 [6.6 - 10.9] |
| Canterbury (North) - Ashbury area | 10.4 [7.4 - 13.5] | 10.5 [8.0 - 13.0] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 10.0 [7.0 - 13.0] | 10.8 [8.2 - 13.3] |
| Homebush | 10.7 [7.4 - 13.9] | 11.1 [7.4 - 14.8] |
| Lakemba/ Punchbowl/ Wiley Park | 14.6 [10.2 - 19.0] | 17.8 [14.2 - 21.4] |
| Leichhardt - Annandale | 9.1 [6.3 - 11.9] | 10.3 [6.9 - 13.7] |
| Marrickville | 11.6 [8.2 - 15.0] | 12.8 [8.8 - 16.9] |
| Petersham - Stanmore | 10.5 [7.4 - 13.7] | 10.9 [7.4 - 14.5] |
| Riverwood | 13.8 [9.8 - 17.8] | 16.8 [11.9 - 21.8] |
| Roselands | 11.7 [8.3 - 15.2] | 13.5 [9.3 - 17.7] |
| Strathfield/ Strathfield South | 8.2 [5.7 - 10.8] | 10.0 [7.1 - 12.9] |
| Sydenham - Tempe - St Peters | 11.5 [8.0 - 14.9] | 11.7 [7.9 - 15.5] |
| Sydney Inner City - South West | 9.8 [6.8 - 12.7] | 10.3 [7.6 - 13.0] |

1.3.3.2 Self assessed health status

Table 43 Modelled proportion of adults aged 15 and over with 'fair' or 'poor' self-assess health by Public Health Area, 2022. Source: PHIDU (2022) Estimated population, aged 15 years and over, with fair or poor self-assessed health, 2017-18.

| Public Health Area | Self-assessed health fair or poor | |
|---|-----------------------------------|--------------------|
| | 2018 | 2021 |
| | Persons | Persons |
| Ashfield | 14.5 [12.1 - 17.0] | 12.5 [9.5 - 15.5] |
| Balmain/ Lilyfield - Rozelle | 8.5 [6.7 - 10.3] | 10.3 [8.3 - 12.2] |
| Belmore - Belfield/ Canterbury (South) - Campsie | 17.5 [14.8 - 20.2] | 17.5 [14.6 - 20.5] |
| Burwood - Croydon | 12.8 [10.7 - 15.0] | 12.0 [9.1 - 14.9] |
| Canada Bay - East | 11.0 [9.1 - 12.9] | 11.1 [9.1 - 13.1] |
| Canada Bay - West | 11.0 [9.1 - 13.0] | 10.3 [8.4 - 12.3] |
| Canterbury (North) - Ashbury area | 14.9 [12.6 - 17.2] | 12.9 [10.6 - 15.2] |
| Dulwich Hill - Lewisham/ Haberfield - Summer Hill | 14.2 [11.9 - 16.6] | 12.6 [10.3 - 14.9] |
| Homebush | 13.3 [10.9 - 15.7] | 12.5 [9.4 - 15.7] |
| Lakemba/ Punchbowl/ Wiley Park | 19.4 [16.4 - 22.5] | 22.0 [18.6 - 25.4] |
| Leichhardt - Annandale | 11.4 [9.4 - 13.4] | 11.2 [8.4 - 14.0] |
| Marrickville | 18.4 [15.6 - 21.2] | 17.5 [13.5 - 21.4] |
| Petersham - Stanmore | 15.3 [12.8 - 17.8] | 12.1 [9.1 - 15.1] |
| Riverwood | 20.5 [17.4 - 23.6] | 21.8 [17.4 - 26.2] |
| Roselands | 15.6 [13.1 - 18.0] | 16.0 [12.3 - 19.7] |
| Strathfield/ Strathfield South | 8.7 [7.0 - 10.4] | 11.4 [8.7 - 14.0] |
| Sydenham - Tempe - St Peters | 17.7 [14.9 - 20.6] | 12.9 [9.8 - 16.1] |
| Sydney Inner City - South West | 14.0 [11.5 - 16.4] | 11.9 [9.5 - 14.2] |

1.3.4 Deaths

1.3.4.1 Infant & young child mortality rate

No data displayed

1.3.4.2 Life expectancy

Table 44 Life-expectancy estimates at birth by sex and Statistical Area 4, 2015-2021. Source: [ABS \(2022\) Life Tables](#).

| Sex | Year | Statistical Area 4 | | |
|---------|-----------|----------------------|------------------|------------|
| | | City and Inner South | Inner South West | Inner West |
| Males | 2015-2017 | 80.0 | 81.7 | 82.8 |
| | 2016-2018 | 81.2 | 82.0 | 83.2 |
| | 2017-2019 | 81.3 | 82.3 | 83.3 |
| | 2018-2020 | 81.7 | 82.7 | 83.5 |
| | 2019-2021 | 81.2 | 82.8 | 83.3 |
| Females | 2015-2017 | 85.8 | 85.9 | 87.1 |
| | 2016-2018 | 86.3 | 86.2 | 87.6 |
| | 2017-2019 | 86.3 | 86.2 | 87.5 |
| | 2018-2020 | 86.3 | 86.5 | 87.6 |
| | 2019-2021 | 85.9 | 86.6 | 87.1 |

1.3.4.3 Major causes of death

1.3.4.3.1 Cancer

Table 45 Mortality rates (per 100,000) by cause of death and Statistical Area 3, 2016-2018 and 2019-2021. Source: Cause of Death Unit Record File held by the NSW Ministry of Health SAPHaRI.

| Cause of death | Statistical Area 3 | Males | | Females | |
|----------------|-------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | 2016-2018 | 2019-2021 | 2016-2018 | 2019-2021 |
| Cancer | Canada Bay | 165.8 [145.3 - 188.2] | 143.1 [124.8 - 163.3] | 88.3 [74.9 - 103.4] | 122.4 [107.1 - 139.4] |
| | Canterbury | 174.3 [157.2 - 192.8] | 172.5 [156.0 - 190.2] | 107.3 [94.5 - 121.3] | 108.9 [96.3 - 122.7] |
| | Leichhardt | 181.6 [152.1 - 215.2] | 162.7 [136.3 - 192.7] | 104.9 [84.8 - 128.4] | 90.3 [72.8 - 110.6] |
| | Marrickville - Sydenham - Petersham | 200.9 [170.4 - 235.3] | 157.3 [131.8 - 186.2] | 109.8 [88.7 - 134.5] | 98.5 [79.5 - 120.7] |
| | Strathfield - Burwood - Ashfield | 169.2 [152.8 - 186.8] | 159.3 [144.0 - 175.8] | 103.4 [91.7 - 116.3] | 109.6 [97.9 - 122.3] |
| | Sydney Inner City | 170.4 [153.6 - 188.6] | 154.7 [139.9 - 170.7] | 117.3 [103.7 - 132.2] | 102.4 [90.5 - 115.5] |
| Circulatory | Canada Bay | 114.0 [97.6 - 132.4] | 110.8 [95.2 - 128.2] | 74.7 [63.8 - 86.8] | 75.1 [64.2 - 87.2] |
| | Canterbury | 145.6 [130.2 - 162.4] | 124.7 [110.9 - 139.6] | 98.1 [86.7 - 110.6] | 86.6 [76.3 - 98.0] |
| | Leichhardt | 111.8 [87.9 - 140.2] | 118.6 [95.6 - 145.4] | 86.9 [68.6 - 108.6] | 72.3 [56.9 - 90.5] |
| | Marrickville - Sydenham - Petersham | 157.5 [130.7 - 188.1] | 131.4 [108.2 - 158.0] | 110.2 [90.1 - 133.4] | 75.6 [60.1 - 93.8] |
| | Strathfield - Burwood - Ashfield | 132.6 [118.4 - 148.0] | 129.9 [116.5 - 144.5] | 94.3 [84.3 - 105.1] | 95.0 [85.3 - 105.4] |
| | Sydney Inner City | 132.2 [117.0 - 148.8] | 95.3 [83.6 - 108.1] | 70.3 [60.1 - 81.8] | 70.6 [61.1 - 81.1] |
| External | Canada Bay | 38.8 [29.2 - 50.6] | 29.5 [21.4 - 39.6] | 13.2 [8.6 - 19.4] | 17.4 [11.6 - 25.0] |
| | Canterbury | 41.6 [33.6 - 51.0] | 30.4 [23.8 - 38.2] | 17.7 [12.8 - 23.9] | 10.5 [7.0 - 15.2] |
| | Leichhardt | 46.3 [32.0 - 64.8] | 39.5 [27.4 - 55.1] | <20 deaths | 21.4 [13.5 - 32.3] |
| | Marrickville - Sydenham - Petersham | 44.2 [31.1 - 61.0] | 50.8 [37.1 - 67.8] | <20 deaths | <20 deaths |
| | Strathfield - Burwood - Ashfield | 41.2 [33.3 - 50.3] | 41.3 [33.8 - 50.0] | 18.6 [13.8 - 24.4] | 19.7 [15.2 - 25.1] |
| | Sydney Inner City | 58.5 [50.1 - 68.0] | 52.4 [44.7 - 61.0] | 27.5 [21.4 - 34.9] | 27.8 [22.0 - 34.7] |
| Nervous | Canada Bay | 27.8 [19.9 - 37.6] | 29.5 [21.6 - 39.2] | 20.5 [14.7 - 27.8] | 24.2 [18.1 - 31.6] |
| | Canterbury | 20.2 [14.7 - 27.0] | 29.4 [23.0 - 37.1] | 19.5 [14.4 - 25.9] | 17.4 [12.8 - 23.2] |
| | Leichhardt | 28.2 [17.0 - 44.1] | 38.4 [25.5 - 55.6] | 39.2 [27.6 - 54.0] | 31.7 [21.7 - 44.6] |
| | Marrickville - Sydenham - Petersham | 25.8 [15.7 - 39.8] | 29.3 [18.9 - 43.3] | <20 deaths | 19.6 [11.8 - 30.7] |
| | Strathfield - Burwood - Ashfield | 34.0 [26.9 - 42.3] | 34.4 [27.6 - 42.3] | 22.0 [17.1 - 27.9] | 21.9 [17.4 - 27.2] |
| | Sydney Inner City | 19.2 [13.6 - 26.3] | 18.7 [13.7 - 24.9] | 17.6 [12.7 - 23.7] | 18.7 [14.0 - 24.6] |
| Respiratory | Canada Bay | 47.1 [36.9 - 59.2] | 32.6 [24.4 - 42.6] | 29.8 [22.9 - 38.3] | 21.7 [16.2 - 28.5] |
| | Canterbury | 60.4 [50.7 - 71.5] | 45.4 [37.4 - 54.7] | 29.4 [23.4 - 36.5] | 30.1 [23.9 - 37.4] |
| | Leichhardt | 60.7 [43.4 - 82.6] | 50.0 [35.4 - 68.6] | 36.3 [24.9 - 51.0] | 26.9 [18.0 - 38.7] |
| | Marrickville - Sydenham - Petersham | 62.1 [45.8 - 82.4] | 48.9 [35.2 - 66.2] | 38.1 [26.3 - 53.4] | 24.3 [15.8 - 35.8] |
| | Strathfield - Burwood - Ashfield | 61.8 [52.3 - 72.4] | 49.1 [41.1 - 58.3] | 26.3 [21.1 - 32.2] | 25.8 [20.6 - 32.0] |
| | Sydney Inner City | 44.9 [36.3 - 54.8] | 42.2 [34.5 - 51.2] | 30.4 [23.8 - 38.2] | 26.1 [20.4 - 32.9] |

1.3.4.4 Mortality due to suicide

Table 46 Crude rates of death attributable to suicide among males (per 100,000) by Statistical Area 3, 2012-2016 and 2017-2021. Source: Cause of Death Unit Record File held by the NSW Ministry of Health SAPHaRI.

| Statistical Area 3 | Males | | Females | |
|-------------------------------------|--------------------|--------------------|------------------|------------------|
| | 2012-2016 | 2017-2021 | 2012-2016 | 2017-2021 |
| Marrickville - Sydenham - Petersham | 15.0 [9.3 - 22.9] | 15.5 [9.8 - 23.3] | 5.0 [2.0 - 10.2] | 4.7 [1.9 - 9.7] |
| Sydney Inner City | 15.3 [12.2 - 18.8] | 19.9 [16.6 - 23.6] | 7.6 [5.4 - 10.4] | 9.0 [6.8 - 11.7] |
| Canterbury | 8.2 [5.5 - 11.8] | 7.2 [4.8 - 10.5] | 5.0 [2.9 - 8.0] | 4.2 [2.4 - 6.9] |
| Canada Bay | 7.1 [4.0 - 11.8] | 12.9 [8.7 - 18.6] | 3.1 [1.3 - 6.4] | 4.2 [2.0 - 7.7] |
| Leichhardt | 6.4 [2.9 - 12.2] | 17.0 [11.0 - 25.1] | 3.3 [1.1 - 7.8] | 7.0 [3.5 - 12.5] |
| Strathfield - Burwood - Ashfield | 9.1 [6.4 - 12.7] | 12.0 [8.9 - 15.8] | 2.8 [1.4 - 5.0] | 4.3 [2.5 - 6.8] |

Small Area Local Health Indicators – Data Tables

Public Health Unit
Sydney Local Health District PO Box 374
Camperdown 1450

Office hours:
Monday to Friday
8:30am to 5pm

T: 02 9515 9420
E: Joseph.VanBuskirk1@health.nsw.gov.au
E: Luke.Knibbs@health.nsw.gov.au
W: slhd.health.nsw.gov.au/public-health



Sydney
Local Health District



THE UNIVERSITY OF
SYDNEY